User Guide

New Jersey Perinatal Risk Assessment Plus (PRA Plus)

Improving birth outcomes through early risk identification

All users must be registered with FHI prior to completing forms

Manual provided courtesy of Family Health Initiatives Manual produced with support from New Jersey Department of Human Services, Department of Health under agreement with Division of Medical Assistance and Health Services

Revised November 2019

What is Family Health Initiatives?

<u>Family Health Initiatives (FHI)</u> is a private, nonprofit subsidiary of the <u>Southern New Jersey</u> <u>Perinatal Cooperative (SNJPC)</u> contracted by the Department of Health (DOH) under agreement with the Division of Medical Assistance and Health Services (DMAHS) to process and warehouse the Perinatal Risk Assessment Plus (PRA Plus) data. FHI works in collaboration with DOH and DMAHS, Medicaid Managed Care Organizations (MMCOs), and New Jersey prenatal providers to oversee completion and analysis of the PRA Plus data.

Communicating with FHI

Support and technical assistance are available during business hours:

E-MAIL PRA@fhiworks.org

PHONE 856-665-6000

HOURS

BUSINESS 9AM–5PM MONDAY-FRIDAY

To download a copy of this guide visit www.praspect.org

Table of Contents

PRA Plus Overview	<u>4-5</u>
Partner Roles and Responsibilities	<u>6-7</u>
User Information	<u>8-9</u>
Account Administration	<u>10</u>
Form Submission Process	<u>11</u>
First Visit Form Instructions	<u>12</u>
First Visit Form	<u>13-14</u>
First Visit Form Data Entry	<u>15</u>
Automatic 17P Therapy Screening Instructions	<u>16-17</u>
17P Medicaid Request Form	<u>18</u>
Follow-up Form Instructions	<u>19</u>
Follow-up Form	<u>20-21</u>
Follow-up Form Data Entry	<u>22</u>
Automatic Referrals	<u>23</u>
Third Trimester Form Instructions	<u>24</u>
Third Trimester Form	<u>25-26</u>
Third Trimester Form Data Entry	<u>27</u>
Form Section Notes	<u>28-31</u>
Form Retrieval	<u>32</u>
PRA SPECT Functions	<u>33</u>
Glossary	<u>34-42</u>
MCHC Contacts & Delivery Hospitals	<u>43</u>
Notes & MMCO Contacts	<u>44</u>

Perinatal Risk Assessment Plus (PRA Plus) Overview

WHAT IS PRA Plus

A universal screening form set collaboratively designed by a New Jersey team to facilitate the highest quality of prenatal care. PRA Plus determines factors that could affect a pregnancy and captures the six areas of risk management: demographics, medical conditions, pregnancy factors, psychosocial factors, environmental exposure, and substance use. The form set supports efficient care coordination between prenatal providers, community based agencies, healthcare organizations, and project partners. PRA Plus cultivates a communal approach to healthcare, and is currently utilized across the state to refer patients to essential services that support healthy pregnancy and positive birth outcome. The form set is designed for easy integration into office procedures, and meets the requirements of state and insurance risk assessment programs. PRA Plus captures all information required from OB providers for delivery hospitals to complete electronic birth certificates. Completed forms are submitted electronically to a data repository for processing. Prenatal providers can access patient data at any time on the <u>Perinatal Risk Assessment Single Point Entry Client Tracker (PRA|SPECT)</u> web portal, which is HIPAA compliant and encrypted to ensure privacy and security of patient information.

IMPORTANCE OF RISK ASSESSMENT

During pregnancy, it is imperative to identify women at risk for poor outcomes, such as infant or maternal death. Early identification and intervention are key to preventing and/or treating conditions associated with poor pregnancy outcomes. Completing PRA Plus assists clinicians in their prevention efforts, as it assures linkage to appropriate services and resources through referral. In New Jersey, risk assessment is conducted at the first prenatal appointment using the First Visit form, and between 30-36 weeks gestational age using the Third Trimester form. The information collected can be updated during the pregnancy using the Follow-up form. The use of the uniform risk assessment form set allows health officials and partner organizations to better meet the needs of pregnant women in New Jersey.

VALUE OF FIRST VISIT FORM

By accurately identifying prenatal risk factors, the First Visit form reduces administrative burden on busy obstetric practices. The form automatically screens patient eligibility for 17P therapy initiation (if patient had a prior preterm delivery and is \leq 24 weeks gestation), and standardizes insurance authorization forms. Additionally, the form automates optional patient referral for Tobacco Cessation and Community Based Services. The assessment also includes the clinically validated 4Ps Plus Screen for substance use, prevention education, and referral. The Referrals/Education section provides a simple checklist for OB staff to record plan of care for follow-up at subsequent office visits. Furthermore, the form serves as an authorization for payment to providers from New Jersey Medicaid Managed Care Organizations (MMCOs).

PRA Plus Overview

IMPORTANCE OF FOLLOW-UP FORM

The Follow-up form is used to make updates to the First Visit form, and can be completed **until the Third Trimester form is started**. Updates include MMCO changes, new risk factor information, subsequent 4Ps Plus Screening, test results, EDD changes, and/or additional Referrals/Education items. All insurance updates must be entered on the Follow-up form <u>prior</u> to starting the Third Trimester form.

BENEFIT OF THIRD TRIMESTER FORM

The Third Trimester form is used as an additional risk checkpoint. The form collects state required prenatal information for the <u>New Jersey Vital Information Platform (VIP)</u> electronic birth and fetal death records system. The supplemental assessment is completed at 30-36 weeks gestation, and enables OB providers to create a prepopulated birth worksheet to send with the prenatal packet to the delivery hospital. Submitting the prepopulated birth worksheet eliminates hospital callbacks.

Partner Roles and Responsibilities

Prenatal Provider

Family

Health

Initiatives

Registers site and all PRA Plus users with FHI

- Designates a primary contact to communicate with project partners
- Assigns a local administrator to manage user accounts
- Assures all form users register and understand training materials
- Completes forms for <u>all</u> prenatal patients regardless of insurance type
- Enters forms online within 24 hours of first OB visit
- Enters updated Follow-up form as new risk factors are identified, new referrals are made, or insurance changes are made
- Reviews site-specific summary PRA Plus data
- Participates in PRA Plus data review process with project partners

Oversees data and develops and updates program materials with input from state agencies and project partners

- Provides training materials to all PRA|SPECT users
- Assures secure storage and transmission of PRA|SPECT data
- HIPAA compliant server security methods
- Encrypted data transmission
- Daily data backup to secure off-site facility
- Analyzes PRA|SPECT data and submits reports to project partners

Collaborates with prenatal providers to transmit PRA Plus data:

- Receives completed forms
- Validates data for quality and accuracy
- HIPAA compliant and encrypted PRA|SPECT web portal for return of updated patient information, MMCO status, and feedback regarding quality of data

Collaborates with MMCOs to access PRA Plus data:

• Verifies and ensures timely accessibility of PRA Plus data

Collaborates with Community Based Agencies to facilitate patient referrals:

• Verifies and ensures Community Based Services referrals received by appropriate county specific Central Intake Hub for distribution to local programs

Collaborates with Mom's Quit Connection (MQC) to receive patient referrals:

• Verifies and ensures Tobacco Cessation referral received by MQC program

Roles and Responsibilities

Medicaid Authorizes payment for services and assigns case management based on the screening criteria **Managed Care** Assigns a primary contact to communicate with FHI and project partners **Organization** Accesses forms on assigned patients from FHI on HIPAA compliant and encrypted • **PRA**|SPECT web portal Reviews summary PRA Plus data on enrolled prenatal patients • Participates in PRA Plus data review process with project partners Authorizes payment to prenatal providers • Community **Receives Community Based Services referral when desired by patient for** engagement in program or services **Based Services** • Accesses forms on assigned patients from FHI on HIPAA compliant and encrypted Agency **PRA**|SPECT web portal Provides free, local, and voluntary services to referred patients • Mom's Quit **Receives Tobacco Cessation referral when desired by patient for** engagement in program Connection Accesses forms on assigned patients from FHI on HIPAA compliant and encrypted **PRA**|SPECT web portal Provides free, local, and voluntary services to referred patients . Delivery Receives all state required prenatal information via prepopulated birth worksheet submitted by OB provider Hospital Eliminates time-consuming callbacks for additional information •

User Information

PRA|SPECT

<u>Perinatal Risk Assessment Single Point Entry Client Tracker (PRA|SPECT)</u> is a HIPAA compliant and encrypted web portal designed to integrate the uses of prenatal providers, insurance agencies, and project partners to provide excellent care to pregnant women in New Jersey.

Users will need <u>Adobe Reader</u> installed to use PRA|SPECT. For optimal results, use the latest version of <u>Firefox</u> or <u>Google Chrome</u>

SITE REGISTRATION

Register online or call 856-665-6000 to access PRA|SPECT.

To complete online registration:

www.praspect.org > Click New Office Registration > Enter practice Information > Click Continue > Enter Physician Information > Click Continue > Enter User Information > Click Continue > Click Review and Submit > Click Submit Registration

USER REGISTRATION

All users must be registered with FHI prior to accessing PRA|SPECT, and must have access to an email address to receive FHI correspondence. For security, each user must have his/her/they own username and password. Do <u>not</u> share account information.

The primary contact (<u>see page 10</u>) is able to add new users and remove user access. The local administrator (<u>see page 10</u>) is able to unlock user accounts and remove user access.

ONLINE TRAINING

All users must accept the HIPAA End User Agreement and view required online training materials prior to completing forms.

To accept HIPAA End User Agreement:

<u>www.praspect.org</u> > Login > Click Documents > Click Documents > Click End User Agreement > Read through the document and select I Agree > Click Course Update

To access online training materials:

www.praspect.org > Login > Click Training Center > Click Courses > Click Course

User Information

ACCOUNT UPDATE OPTIONS

Allows user to change his/her/they password.

To change password:

www.praspect.org > Login > Click My Account > Click Account Administration > Click Account Update Options > Click Change password > Click Update Account

FORGOT YOUR PASSWORD

Allows user to request an email with a new temporary password.

To request an email with instructions to create a new password:

www.praspect.org > Click Reset Forgotten Password > Enter email address > Click Submit

ACCOUNT SECURITY – INACTIVITY LOCKOUT

A user account is automatically locked after (11) consecutive business days inactivity. The local administrator(s) (<u>see page 10</u>) can unlock accounts.

ACCOUNT SECURITY – UNSUCCESSFUL LOGIN TEMPORARY LOCKOUT

A user account is locked out for (30) minutes after (5) unsuccessful login attempts. FHI and local administrator(s) are unable to override the temporary lockout.

Account Administration

PRIMARY CONTACT

A primary contact is required, and is able to update site information. To change the primary contact for the site, contact FHI at <u>PRA@fhiworks.org</u> or 856-665-6000.

To add a user (primary contact only):

www.praspect.org > Login > Click My Account > Click Account Administration > Click Practice Update Options > Click User Information > Click add new > Click Save Changes Note: New user must contact FHI at <u>PRA@fhiworks.org</u> or 856-665-6000 to receive account login.

To remove user access (primary contact only):

<u>www.praspect.org</u> > Login > Click My Account > Click Account Administration > Click Practice Update Options > Click User Information > Click last name > Select No, Remove Access > Click Save Changes

To update practice information (primary contact only):

<u>www.praspect.org</u> > Login > Click My Account > Click Account Administration > Click Practice Update Options > Click Practice Information > Click Edit Practice Information > Click Save Changes

To add a new physician (primary contact only):

<u>www.praspect.org</u> > Login > Click My Account > Click Account Administration > Click Practice Update Options > Click Physician Information > Click Add New > Click Save Changes

To update physician information (primary contact only):

<u>www.praspect.org</u> > Login > Click My Account > Click Account Administration > Click Practice Update Options > Click Physician Information > Click last name > Click Save Changes

LOCAL ADMINISTRATOR

A local administrator is required, and is able to unlock user accounts and remove user access. If desired, a secondary local administrator can be assigned. The local administrator should be a user that frequently accesses PRA|SPECT. Deactivated user accounts can only be reactivated by FHI. To reactivate user accounts or change a local administrator, contact FHI at <u>PRA@fhiworks.org</u> or 856-665-6000.


To unlock a user account (local administrator only):

<u>www.praspect.org</u> > Login > Click My Account > Click Staff Account Administration > Click Staff Account Options > Click first letter of user's last name > Select Unlock > Click Save

To remove user access (local administrator only):

<u>www.praspect.org</u> > Login > Click My Account > Click Staff Account Administration > Click Staff Account Options > Click first letter of user's last name > Select Remove Reason > Click Save

Form Submission Process



First Visit Form Instructions

The First Visit form must be completed by OB staff (patients should <u>not</u> fill out forms). Accurate form completion will expedite continuity of treatment and care for mother and baby.

ALL FIELDS MUST BE COMPLETED

All fields are required, and are essential to the treatment and care for mother and baby.

COMMON RULES

- When asked to select 'Yes' or 'No', choose only ONE option. 'Yes' or 'No' questions must have a selection.
- Do <u>not</u> use any symbol or letter to indicate unknown or not applicable.
- Provide a complete date. If day is unknown enter 15 as day.
- If month is unknown, provide a reasonable estimate.
- Partial dates are unacceptable. Estimates are permitted.

GROUP NPI # AND PHYSICIAN NPI #

The <u>National Provider Identifier (NPI)</u> is the 10-digit identification number used to identify providers. If applicable, both the Group NPI # and the Physician NPI # should be included.

First Visit Form (page 1)

16152	STATE OF NE PERINATAL RISK First Visit	ASSESSMENT			
	ALL FIELDS RE	QUIRED	PI	LEASE PRINT (CLEARLY
Date Form Completed SSN		D/Medicaid #		surance Effective D	ate]
Provider Information	Planned Delivery				
Chart#	Site Code				
Patient Last Name Information		First Name	Date of I	Birth	
Street Address		City			ΤÌ
Zip Code County	Primary Phone		Preferred Contact	O Text O	
Emergency Contact Name			gency Contact Phone		Call
Name of Father of the Baby			N-HK	-	
			er of Baby Involved ed		O No O No
	mary Language Health Insurance		caid MCO	2 	-
O Black O Native American White Multi-Racial	core onel (Select all that apply) English Medicaid PE Spanish Medicaid FFS Other (specify) Medicaid MOO	O NJ Family Care O A O Commercial/Private O A	and the second	nitedHealthcare Cor ellCare one	nmunity
Entry Into Prenatal Care	Perinatal History First pregnancy?	O Yes O No If Yes, skip to Phys	ical Assessment Blood Pro	Assessment	
		Date of last other pregnancy	outcome Pre Preg		
1st Visit Under MCO	# Pregnancies Including Curren	ALC REPORT OF A CONTRACT OF A	D wks		(bs)
	# Previous Live Births # Live Births Now Living # Term Births > 37 wks	# Fetal Deaths≥2 # Induced Termina # Ectopic or Molar	tions Height (ft	-inches)	
	# Preterm Biths < 37 wks # Previous Cesarean Sections				d Trimester
Infertility Treatment If No Skip to Pregnancy Risk	ertility enhancing drugs, artificial insemination or [] Taken by Mother [] Taken by Father	r intrauterine insemination O	Assisted reproductive techn	ology (IVF, GIFT, Z	IFT)
Pregnancy Risk Factors Current Pregnancy	Prior Pregnancy	Current Prior Pregnancy Pregnancy		Current Pregnancy	Prior Pregnancy
Y N Unk Low Birth Weight (≤2500gm) na na O	Y N O O Fetal Reduction	YNUnk YN OOO na na	Group B Strep	Y N Unk	Y N O O
History of PROM na na O	O O Macrosomia	000 00	Urinary Tract Infection	000	na na
Hypere mesis	O O IUGR	000 00	Hepatitis A	000	na na
Obesity OOO Gestational Diabetes OOO	na na Oligo/Polyhydramnios O O Abnormal Amniocentesis		Hepatitis B Hepatitis C	000	00
Insulin Dependent OO na	O O Abnormal AFP	000 00	Alcohol Use	000	00
PIH/Preeclampsia OOO	OO Maternal Fetal Infection	000 00	Illicit Drug Use	000	00
Eclampsia OOO	O O Abdominal Surgery	OOO na na	Opiate Dependence	000	00
Placenta Previa OOO	O O Fetal Genetic/Structural Abi		Opioid Replacement Tx		00
Cervical Incompetence OOO Multiple Gestation OOO	OO Rh Negative na na Pyelonephritis	000 na na 000 00	Cats or Birds in Home	000	na na
	na na Fydiollabiling			16152	
-		PRA II	,		
© 2019	Family Health Initiatives 2500 McClellan Ave, S				
Version-3: TF11931 201706	www.praspect.o	rg		FVF	Page 1 of

First Visit Form (page 2)

16152							ALL	. FIELDS RE	QUIRE	D		vider Ch						ר	
Current Medical Condit	tions	s/Ris	ks							_						-		_	_
	í es	No			atient istory			Ye	s No	Unk	On I Meds I	Patient			Yes	s No	Unk	On Meds	Patie
	0	0	0		O	Blood [Dyscras			0	O		Congenita	Abnormal			0	na	C
-	ŏ	ŏ	ŏ		ŏ	Diabet		~~ C		ŏ	ŏ	-		Pap Smea	-	_	ŏ	na	na
	ŏ	ŏ	ŏ		ŏ	Insu	ulin Dep		_	na	na		STD		ŏ	and the second second	ŏ	0	С
	ŏ	õ	õ	-	ŏ	Thyroid	d Diseas			0	0	0 /	Allergies		Õ	-	õ	õ	č
Tuberculosis	0	0	0	0	0	Sickle	Cell Trai	it C	0	0	na	na 💲	Sensitive/E	Bleeding G	ums O	0	0	0	na
Cystic Fibrosis	0	0	0	0	na	Sickle	Cell Dis	ease C	0	0	0	na 2	nd or 3rd	Hand Smo	ke O	0	0	па	na
Heart Condition	0	0	0	0	0	Liver D)isease	C	0	0	0	0 1	Home Buil	t Before 19	78 O	0	0	na	па
Chronic Hypertension	0	0	0	0	0	Renal I	Disease	· · · · ·	0	0	0	0	Dental Visi	it w/in the `	'ear O	0	0	na	па
Thalassemia	0	0	0	0	na	Lupus		C) ()	0	0		IV Positiv	/e	0	0	0	0	na
Phlebitis/DVT	0	0	0	0	0	Cancer	r -	C	0 (0	0	0 /	AIDS		0	0	0	0	na
Anemia	0	0	0	0	0	Uterine	Abnom	malities C) ()	0	na	na I	HV Test R	lefused	0	0	na	na	na
Psychosocial Risk Fac													on for La	te Entry t		atal Car	e		
Yes No U					Yes No					Yes	10000			Ye					Y
Disabled OO(Homeless OO(onal Con					loyed/Inadequa			00		ortation	0	And in case of the local diversity of the loc	nce Enn			(
000	_		nned Pre			~		nd/Partner is Un		-			are Issue	0		n't Find a			
Unstable Housing OOO Transportation OOO			ital Depri stic Viole		_	_		uate Social Sup tly in Foster Ca		_			to Preg T			are of Im on Desir			
Eating Disorder OOO	_		tion <12				ounem	ay in ruster oai	c	0	00		re of Preg	-	Abora	JILDESI	curonsi	ICCESSI	" (
Smoking/Tobacco Use	_	Luuvu		Touro		<u> </u>		_				onun			arettes	Pa	cks		_
O Non Smoker		He	ow man	y cigare	ttes OF	R packs (did you	smoke per d	ay in the	three	months	before pro	gnancy?	Ē		OR			
4Ps Plus							Yes	No	-		_				Yes N	lo	_		_
								100 m						2	107 10				
Did either of your parents				•		DNOI	0		ave you	ever d	runk de	er/wine/lic	uor		0 0	ا ر	16.0-		_
Does your partner have an				-	ICONOI			0									If An	ked,	
Have you ever felt manipu				ner			0	-	the mo	nth Def	ore you	knew you	were pre	egnant _	Any N	one		inue w	rith
Have you ever felt out of o	contro	of or n	elpiess				0	0							~ ~		the 4		
Over the past 2 weeks							~	~				ettes did y			0 0			w-Up	
Have you felt down	2 A			· · · · ·				0				/wine/lique		i drink	0 0	8 I	Que	stions	
Have you felt little i						_		0		ow mu	cn marij	juana did j	ou use		0 0)			
4Ps Plus Follow-up Qu							<u>d)</u>	Refer for	Assess	ment	- 3	Preven	tion Educ	ation	1	No Ref	erral N	eeded	
In the month befo	re yo	u kne	wyouv	vere pre	gnant :			Every Day		aysMk		1-2 Days		DayAVk	Di	d Not D			
About how many				ou usu	ally			~		~	1	~		~			~		
			/liquor					0		0	1	0		0	1		0		
	-	-				ne or her	roin	0		0	-	0		0			0		
And now, about h			lays a w /liquor	leek do	you us	ually		0		0		0	-	0	1		0		
	And a state of the	in and		ariiuana	cocain	e or her	nin	0		0		0	-	0			ŏ		
	0.00	-		<i>.</i>	1			0		-		-					-		
Referrals/Education			d Receivin Service			Net	lot eded			Referre	d Receivir Service		Refused	Not Needed	Medic	ations	Comm	ents	
Tobacco Cessation		0	0	0	C		C	Childbirth Edu		0	0	0	0	0					
Substance Abuse Prevention		0	0	0			2	Breastfeeding		0	0	0	0	0					
Substance Abuse Assessmen	t	0	0	0			2 D	Emergency As	sistance	0	0	0	0	0					
Mental Health Assessment	-	0	0	0			2	TANF/GA		0	0	0	0	0					
Domestic Violence Assessmen	nt	00	00	00	0		2	WIC		00	00	0	00	0	I —				_
Diabetes Care Program Preterm Labor Prevention		0	0	0			-	SSI DCP&P		0	0	0	0	0					
Nutritional Consult		ö	ŏ	ö			5	Food Stamps		ö	ŏ	ŏ	0	ö					
Community Based Services*		ŏ	na	na			5	Dental Referra	l .	ŏ	ŏ	ŏ	ŏ	ŏ	-				_
* Includes referrals to local Comm		lealth V								0	0	~	0	0					
Home Visiting and other supportiv	e servi	ces		-															
more maring and other supporter																			
mine many and other appoint																	16152		
rome rotary and other apporter												PRA ID					16152		
rome roseng and only apporter				© 201	9 Family	Health I	nitiative	s 2500 McClell www.praspe		ite 270	Pennsau						16152		

First Visit Form Data Entry

NEW PATIENT RECORD

Allows user to enter a new First Visit forms.

To enter a First Visit form:

www.praspect.org > Login > Click Patient Records > Click New Patient >

• Patient Information

Click save to proceed to next section. The user can access subsequent sections in any order by clicking the title in the navigation bar (see image below). Click Review | Submit | Exit at any point to save and exit record. Click Save in each section: Medical Information, Pregnancy Risk Factors, Current Medical Conditions, Psychosocial Risk Factors, 4Ps Plus, and Referrals/Education.

Review | Submit | Exit
 Select Submit > Click Enter Selection (other options include Save and Remove)

First Visit Form Review | Submit | Exit Page

Medical Information	PRA Form Revie	.,					
		PRA Form	Options				
 Pregnancy Risk Factors 	○ Save	Save the PRA Form	The form will be retrievable by any member of				
Current Medical Conditions			your practice site. All required fields must be complete to submit the form.				
Conditions	O Submit	Submit the PRA Form	The form will be accessible by the healthcare				
• Psychosocial Risk Factors			plans. Submitted forms cannot be removed from the system.				
• 4Ps Plus	○ Remove	Remove the PRA Form	The form will be removed from the system and a information will be deleted.				
Referrals/Education	Internal Message		You may add notes regarding the form that ar				
• Review Submit Exit		0	only accessible by members of your practice site.				
navigation bar			Enter Selectio				

INCOMPLETE FIRST VISIT FORMS

Saved forms will appear as incomplete entries, and can be completed and submitted at a later time. All users registered at the site can access incomplete entries. MMCOs do <u>not</u> receive incomplete forms.

To access an incomplete form:

www.praspect.org > Login > Click Patient Records > Click Incomplete Forms > Click Access Form

To sort incomplete records:

<u>www.praspect.org</u> > Login > Click Patient Records > Click Incomplete Forms > Click blue column header

Automatic 17P Therapy Screening Instructions

17P Therapy

17P alpha-hydroxyprogesterone caproate is a synthetic form of progesterone given by injection in the gluteus muscle or anterior thigh to reduce a woman's risk of recurrent preterm birth. One of the strongest clinical risk factors for premature delivery is a prior preterm birth. Ideal initiation of 17P therapy is between 16-21 weeks gestation. Eligible mothers late to care can be started up until 24 weeks gestation.

Automatic 17P Therapy Screening

If a ≥ 1 indicated in the preterm birth field on the First Visit form and the patient is ≤ 24 weeks gestation, her record will automatically move to the 17P Eligibility List.

17P Medicaid Request Form

New Jersey Medicaid Managed Care Organizations (Aetna Better Health, Amerigroup, Horizon NJ Health, UnitedHealthcare, and WellCare) universally adopted the prepopulated 17P Medicaid Request form (<u>see page 18</u>) generated on PRA|SPECT <u>www.praspect.org</u> to simplify 17P therapy authorization. The 17P Medicaid Request form prepopulates patient data from the First Visit form further expediting the process.

17P Eligibility List

Provides patient list by insurance category for standardization of enrollment paperwork and tracking.

Eligible Medicaid Patients

Displays Aetna Better Health, Amerigroup, Horizon NJ Health, UnitedHealthcare, and WellCare patients.

To access the Eligible Medicaid Patient list:

www.praspect.org > Login > Click 17P > Click 17P > Click Eligible Medicaid Patients > Click Show All

To complete the 17P Medicaid Request form:

www.praspect.org > Login > Click 17P > Click 17P > Click Eligible Medicaid Patients > Click Show All > Click Complete Form > Enter information > Click Save and Print > Fax form with prescription (see fax numbers below) > Record moves to Patients In Need of Outcome list

To record an outcome:

<u>www.praspect.org</u> > Login > Click 17P > Click 17P > Click Patients In Need of Outcome > Click Show All > Select Outcome > Click Save > Record moves to 17P Patients Completed list

To update an outcome:

<u>www.praspect.org</u> > Login > Click 17P > Click 17P > Click 17P Patients Completed > Click Show All > Click Update Outcome > Select Outcome > Click Update Outcome

Fax completed 17P Medicaid Request form (also serves as prescription) accordingly:

Aetna Better Health	855-296-0323	UnitedHealthcare	888-840-9284
Amerigroup	877-244-1962	WellCare	888-340-9512
Horizon NJ Health	no need to fax		

Automatic 17P Therapy Screening Instructions

Eligible Non-Medicaid Patients

Displays commercial, uninsured, and Medicaid Presumptive Eligibility (PE) patients.

To access the Eligible Non-Medicaid Patient list:

www.praspect.org > Login > Click 17P > Click 17P > Click Eligible Non-Medicaid Patients > Click Show All

To initiate for commercial patients:

Complete plan-specific preauthorization form and fax it along with prescription to insurance company. www.praspect.org > Login > Click 17P > Click 17P > Click Eligible Non-Medicaid Patients > Click Show All > Click Ref Form > Record moves to Patients In Need of Outcome list

To initiate for uninsured and Medicaid PE patients:

Complete <u>Makena Prescription form</u> and fax it along with prescription to Makena at 800-847-3413. <u>www.praspect.org</u> > Login > Click 17P > Click 17P > Click Eligible Non-Medicaid Patients > Click Show All > Click Ref Form > Generates Makena Prescription form for print > Record moves to Patients In Need of Outcome list

To record an outcome:

<u>www.praspect.org</u> > Login > Click 17P > Click 17P > Click Patients In Need of Outcome > Click Show All > Select Outcome > Click Save > Record moves to 17P Patients Completed list

To update an outcome:

<u>www.praspect.org</u> > Login > Click 17P > Click 17P > Click 17P Patients Completed > Click Show All > Click Update Outcome > Select Outcome > Click Update

To remove a patient from the 17P List (patient refusal, miscarriage, transfer, etc.):

www.praspect.org > Login > Click 17P > Click 17P > Click patient list > Click Show All > Click patient name > Click to left of patient name > Click Exclude Patient from Lists > Select Reason > Click Exclude > Record moves off list

17P Medicaid Request form

First Name Last Name	DOB
Irins (Name Last Name Last Name Street Address	
State Zip Code Primary Phone#	Current O Date Recorded: Gestational Age: O Image: Market Age: Ma
Patient meets FDA-approved indication (current pregnancy is singleton and patient has a his Reason for preterm labor or preterm delivery:	
Complete and Sign Rx:	Is the patient currently receiving 17P? O Yes O No
Prescriber's Name	ICD-10 Code:
Practice Name	O 009.212 - Supervision of pregnancy with history of preterm labor, second trimester
Address	O 009.213 - Supervision of pregnancy with history of preterm labor, third trimester
City State Zip	O 009.219 - Supervision of pregnancy with history of preterm labor, unspecified trimester
Office Phone# Office Fax#	Rx:
Group NPI# Office Tax ID #	O Makena® (hydroxyprogesterone caproate injection) Subcutaneous Auto-Injector
Medicaid Provider #	O Hydroxyprogesterone Caproate Injection 250 mg/mL (J1725)
Primary Office Contact Direct Phone #	O Compounded 17p O Dispense: 4 x 1 mL single-dose, preservative-free vials (64011-247-02)
After-hours Phone #	or 4 x Subcutaneous Auto-Injectors refi
	O Sig: Inject 1 mL IM each week
EmailPreferred Method of Communication O Phone O Fax O Email	O 18-g needles & 3 mL syringe#
Preferred Method of Communication O Phone O Fax O Email	O 21-g 1 1/2 needle#
Is the patient on strict bedrest? O Yes O No Please Ship To:	
Preferred Injection Setting: O Prescriber	
Healthcare Provider Office O Patient Home Setting / Self Administered	
O Home Health Care Agency, if approved by insurance:	
Desired Start Date: $\square_{M} \square_{M} - \square_{0} \square_{0} \square_{V} - \square_{V} \square_{V}$	esired End Date:
I certify that this therapy is medically necessary and that this information is accurate to the be	əst of my knowledae.
Prescriber's Signature	
For MCO Use Only:	
Approved Denied Current MCO	Medicaid/Insurance ID#
Number of Injections	vorization#
Date of Notification	10112aU0117 -
to Provider	e and Title

Follow-up Form Instructions

FOLLOW-UP FORM

The Follow-up form is used to communicate updates to the First Visit form, and must be used to update insurance enrollments and changes.

All of the information from the First Visit form prepopulates into the data entry screens for the Follow-up form. The Follow-up form should be completed as many times as necessary to keep the patient's record current until the Third Trimester form is started between 30-36 weeks gestation.

All insurance updates must be completed on the Follow-up form prior to starting the Third Trimester form.

Follow-up Form (page 1)

16152	THE OFFICE		STATE OF NEW . PERINATAL RISK AS Follow-up Fol	SESSMENT	ſ			
			ALL FIELDS REQU	RED		PL	EASE PRINT	CLEARL
ate Form Completed	SSN		Insurance ID/Me	dicaid#		Ins	urance Effective D	ate
] []-[_,
Provider Information		Planned	I Delivery				\sim	
Chart #		Site Coo						
Patient Last Name		- 1 - 1 - 1	F	irst Name		Date of E	Birth	
nformation								47
Street Address					City	м м		Y Y
Zip Code Cour	ity		Primary Phone			Preferred Contact	O Text O	Call
Emergency Contact Name					Emer	gency Contact Phone		
							-	
Name of Father of the Baby								
						r of Baby Involved ed <u></u>	1000	O No O No
Race Ethnicity Hispani	c OYes Prim	iary Language	Health Insurance		Medi	aid MCO	976 1	5
Choose one) O Native America	(Choo	se one)	(Select all that apply) O	Medicare	(Choos	eone)		
O White O Multi-Racial	i i i i i i i i i i i i i i i i i i i	inglish Spanish		NJ Family Care Commercial/Pri		etna Better Health O Un merigroup O We	itedHealthcare Co	mmunity
O Asian O Alaskan/Pacific O Other)ther (specify)		Uninsured/Self		orizon NJ Health O No		
Entry Into Prenatal Care		Perinatal Hi	story First pregnancy? O Ye	s O No if Y	es skin to Physi	Assessment Physical	Assessment	
		Date of last liv	,, ,,,,	Date of last oth		Blood Pre	xsure	
1st Visit				<u> </u>		Pre Pregr	nancy Current	
1st Visit		<u>ж</u> м #Р	P P Y Y regnancies Including Current	# Міз	oo ∋oomianes < 20	Weight (It		
Jnder MCO			revious Live Births		al Deaths≥20	The second s		
	7-17	#L	ive Births Now Living		uced Terminal	ions Height (ft-	inches)	
M M D	D YY	#7	ierm Births ≧ 37 wks	 # Ect	opic or Molar I		 Duminan Cumunant	Duannana
EDD –		# P	reterm Births <37 wks			O 1st Tri	During Current mester O 3r	d Trimester
M M D	D ΥΥ	#P	revious Cesarean Sections			O 2nd Tr	imester ON	one
Infertility Treatment If No Skip to Pregnancy Risk		ertility enhancing dr	ugs, artificial insemination or intra er [] Taken by Father []	uterine insemina Insemination	ation O	Assisted reproductive technology	ology (IVF, GIFT, 2	3FT)
Pregnancy Risk Factors	Current	Prior		Current	Prior		Current	Prior
Toghanoy Nisk Lactors	Pregnancy Y N Unk	Pregnancy Y N		Pregnancy Y N Unk	Pregnancy Y N		Pregnancy Y N Unk	Pregnancy Y N
Low Birth Weight (≤ 2500gm)	na na O		Fetal Reduction	000	na na	Group B Strep	000	00
History of PROM	na na O	00	Macrosomia	000	00	Urinary Tract Infection	000	na na
Hyperemesis	000	00	IUGR	000	00	Hepatitis A	000	na na
Obesity Gestational Diabetes	000	na na	Oligo/Polyhydramnios Abnormal Amniocentesis	000	00	Hepatitis B Hepatitis C	000	00
Insulin Dependent		00	Abnormal AFP	000	00	Alcohol Use	000	00
PIH/Preeclampsia	000	00	Matemal Fetal Infection	000	00	Illicit Drug Use	000	00
E de la constru	000	00	Abdominal Surgery	000	na na	Opiate Dependence	000	00
Eclampsia	000	00	Fetal Genetic/Structural Abnorm Rh Negative		O O na na	Opioid Replacement Tx	000	00
Placenta Previa	000			000	па па	Cats or Birds in Home	000	na na
Placenta Previa Cervical Incompetence	000	O O na na		000	0.0			
Placenta Previa	000	na na	Pyelonephritis	000			16152	
Placenta Previa Cervical Incompetence				000	O O PRA IE		16152	

Follow-up Form (page 2)

16152					ALL	L FIELDS I	REQL	JIRE)	Pro	vider C	hart #			Т	Π	Т	┓╹	
Current Medical Condition	one/Riel	(8													-		-	_	
Ye							Yes	No	Unk		Patient				Yes	No	Unk		Patie
Neurological Condition				Blood	Dyscras		0	0	O	Meds	History	Congenita	Abnom	alities	0	0	0	Meds na	O
Seizures (ŏč		Diabe		, and	ŏ	ŏ	ŏ	ŏ	ŏ	Abnormal			ŏ	ŏ	ŏ	na	na
Depression/Mental Illness		õ õ	_		ulin Dep	endent	ŏ	ŏ	na	na	na	STD			õ	ŏ	ŏ	0	0
Asthma C		ŏč	_	Thyro	id Disea	se	ŏ	ŏ	0	0	0	Allergies			ŏ	ŏ	ŏ	ŏ	ŏ
Tuberculosis	0 0	0 0	0 0	Sickle	Cell Tra	ait	Ō	Ō	0	na	na	Sensitive/	Bleeding	Gums	Ō	0	0	0	na
Cystic Fibrosis	0 0	0 0) na	Sickle	Cell Dis	ease	0	0	0	0	na	2nd or 3rd	Hand Sn	noke	0	0	0	па	na
Heart Condition	0 (0 0	0 (Liver	Disease		0	0	0	0	0	Home Bui	It Before	1978	0	0	0	па	па
Chronic Hypertension	0 (0 0	0 (Rena	Disease	Ð	0	0	0	0	0	Dental Vis	it w/in the	e Year	0	0	0	na	па
Thalassemia C		0 0		Lupus			0	0	0	0	na	HIV Positi	ve		0	0	0	0	na
Phlebitis/DVT C		0 0		Cance			0	0	0	0	0	AIDS			0	0	0	0	na
Anemia C	<u> </u>	0 0		Uterin	e Abnon	malities	0	0	0	na	na	HIV Test I			0	0	na	na	na
Psychosocial Risk Facto Yes No Univ			Vez	No Unk					Yes	No Ur	_	son for La		γ <u>toP</u> _{Yes}	renata	I Care			Ve
					L la succe	Lesse d'Arreste a	and a la					a substitute of		_			has a set F	halass.	Ye
Disabled OOO Homeless OOO		inal Concei ined Pregn				oloyed/Inadeq nd/Partner is			-			sportation		-			lment D Health		C
Unstable Housing O O O		tal Depress		õõ		uate Social S			-	ŏč		Care Issue					ortance		-
Transportation OOO		tic Violence		ŏŏ		tly in Foster C			_	ŏč		ss to Preg		-			d/Unsu		
Eating Disorder OOO		tion <12 Ye		õõ								are of Pre		õ					
Smoking/Tobacco Use O Non Smoker	Ho	w many c	igarettes (OR packs	did you	ı smoke per	day ii	n the t	hree n	nonths	before p	regnancy	? (Cigarett	<u>es</u>] 0	R C	<u>ks</u>		
4Ps Plus					Yes	No			1			/		Yes	No				_
Did either of your parents h Does your partner have any Have you ever felt manipula Have you ever felt out of co Over the past 2 weeks	y problem ated by yo	with drug: our partner	s or alcoho		0000	0000	ſ	e mon	th befo	ore you		iquor ou were pr I you smo		0 <u>*An</u> y 0	0 <u>1 Non</u> 0	<u>ie</u>	If Any chec conti the 4 Follo	ked, nue w Ps	ith
Have you felt down,	denresse	d or honel	ess		0	0		- V -				uor did yo		õ	ŏ			tions	
Have you felt little in				as	õ	ŏ						l you use	a annix	õ	ŏ	L			
4Ps Plus Follow-up Que			-			<u> </u>		500		1	,	,		<u> </u>	-				
In the month before						Refer				- } -		ntion Edu					rral Ne		
About how many d		-	1 0			Every Da	iy .	3-6 Da	ysiwk		1-2 Day:	5JWK <1	Day₩k		Did	Not Dr	ink/Us	e Drug	3
	er / wine		usually			0		C	5		0		0				0		
		100 C	uana, coca	aine or he	eroin	0		0	-	+	ō		ō	1			õ		
And now, about how	w many d	ays a wee	k do you	usually													-		
drink be	er/wine/	liquor				0		0)		0		0				0		
use any	drug such	h as marij	uana, coca	aine or he	roin	0		0	>		0	1	0	- 1			0		
Referrals/Education	Referred	Receiving	Referral F		Not				Referred	Receivi			Not	M	edicat	ions/C	Comm	ents	
Tobacco Cessation	0	O	O	-		Childbirth E	ducati	on	0	O		Ö	O						
Substance Abuse Prevention E		ŏ			ŏ	Breastfeedi			ŏ	ŏ		ŏ	ŏ						_
Substance Abuse Assessment	Õ	0			õ	Emergency			Õ	Ō	0	0	0	-					
Mental Health Assessment	0	0		1000	0	TANF/GA			0	0		0	0						
Domestic Violence Assessment	-	0		-	0	WIC			0	0		0	0	-					
Diabetes Care Program	0	0			0	SSI DCP&P			0	0		0	0						
Preterm Labor Prevention Nutritional Consult	00	00		-	0	Food Stam	ne		00	00		00	00						
Community Based Services*	ŏ	na		-	õ	Dental Refe			ŏ	ŏ		ŏ	ŏ	17					
* Includes referrals to local Commun	nity Health W			5					0	0	0	0	U						
Home Visiting and other supportive	services											-			1	1	6152		
			© 2019 F	amily Hea	alth Initia	itives 2500 M	cClella	an Ave	Ste 2	70 Peni	PRA I nsauken,					Ì	102		
ersion-3: TF1 193 1 2017 06						08109 www.p	oraspe	ct.org									FVF	Page	2 of

Follow-up Form Data Entry

PATIENT SEARCH

Allows user to access patient record to complete follow-up forms.

To complete a Follow-up form:

www.praspect.org > Login > Click Patient Records > Click Patient Search > Enter search information > Click
Search Patients > Click to left of patient name > Click Complete New Follow-up

• Patient Information

Click save to proceed to next section. The user can access subsequent sections in any order by clicking the title in the navigation bar (see image below). Click Save in each section: Medical Information, Pregnancy Risk Factors, Current Medical Conditions, Psychosocial Risk Factors, 4Ps Plus, and Referrals/Education.

Review | Submit | Exit
 Select Submit > Click Enter Selection (other is Remove)

Follow-up Review | Submit | Exit Page

Patient Informatio	n Foll	low-up	Form Review / S	Submit							
Medical Information	n										
		Follow-up Form Options									
Pregnancy Risk Fa		Submit	Submit the PRA Form		be accessible by the healthcare plans. Submitted forms noved from the system.						
Current Medical Co	0	Remove	Remove the PRA Form	The form will b deleted.	be removed from the system and all information will be						
 Psychosocial Risk 	Factors										
• 4Ps Plus					Enter Selection						
				Form Co	ompletion Summary						
 Referrals/Education 	n		PRA Form Section	n	Data Entered						
Review Submit	Pati	ient Inforn	nation*		Required Information Completed						
• Review Submit		dical Inform	mation*		Required Information Completed						
	Preg	gnancy Ris	sk Factors*		Required Information Completed						
Click navigation bar	Cur	rent Medio	al Conditions*		Required Information Completed						
o access sections	Psyc	chosocial I	Risk Factors*		Required Information Completed						
n any order	4Ps	Plus*			Required Information Completed						
	Refe	errals/Edu	cation *		Required Information Completed						

Automatic Referrals

COMMUNITY BASED SERVICES

If desired by the patient, the First Visit form serves as the paperwork for optional automatic Community Based Services referral. Community Based Services are programs to support social services including home visiting, case management, recovery support, doula, and various short-term workshops. Programs address specific topics including asthma, parenting, early childhood play, etc. If declined at the first appointment, referral can be initiated later in the pregnancy on the Follow-up form.

All patients should be offered Community Based Services referral at all office visits by asking, "Are you interested in learning about free and local services to support you and your baby?"

If yes, select 'Referred' for Community Based Services (in the Referrals/Education section), and advise the patient she will be contacted by a program representative. If no, select 'Refused'. If the patient is currently connected to a program, select 'Not Needed'.

Selecting 'Referred' for Community Based Services automatically forwards the referral to the Central Intake Hub in the patient's residential county to connect her to a local program. Should a patient choose to enroll in a program, the agency details may display on her record under Program History.

Programs vary per county, to learn more about the offerings contact the Central Intake Hubs.

TOBACCO CESSATION

If desired by the patient, the First Visit form serves as the paperwork for optional automatic Tobacco Cessation referral. If declined at the first appointment, referral can be initiated later in the pregnancy on the Follow-up form.

If the patient uses tobacco or smokes cigarettes or <u>used in the month before</u> she knew she was pregnant, offer Tobacco Cessation referral by asking, "Do you want to cut down, quit, or receive support to prevent relapse?" and "Would you like a Quit Coach to contact you?"

If yes, select 'Referred' for Tobacco Cessation (in the Referrals/Education section), and advise the patient she will be contacted by a qualified Quit Coach. If no, select 'Refused'. If nonsmoker, select 'Not Needed'.

Selecting 'Referred' for Tobacco Cessation automatically forwards the referral to <u>Mom's Quit Connection</u> (<u>MQC</u>) to connect her to a Quit Coach.

To schedule a free onsite Ask, Advise and Refer: Brief Intervention professional training, contact Barbara Heinz <u>bheinz@snjpc.org</u>. MQC will automatically reach out to the primary contact after new user training.

Note: Community Based Services and Tobacco Cessation are the only automatic Referrals/Education items. Aggregate data from Referrals/Education is used by state agencies and project partners to assess needs and inform future funding to benefit pregnant women.

Third Trimester Form Instructions

THIRD TRIMESTER FORM

The Third Trimester form is completed when the patient is 30-36 weeks gestation, and captures critical third trimester risk factor information required to complete the patient's electronic birth certificate.

All insurance updates must be completed on the Follow-up form prior to starting the Third Trimester form.

All of the information from the First Visit form or most recent Follow-up form prepopulates into the data entry screens for the Third Trimester form.

ALL FIELDS MUST BE COMPLETED

All fields are required by <u>New Jersey Department of Health (DOH) Office of Vital Statistics (OVSR)</u> to complete the birth certificate, and are essential to the treatment and care for mother and baby.

COMMON RULES

- When asked to select 'Yes' or 'No', choose only ONE option. 'Yes' or 'No' questions must have a selection.
- Do <u>not</u> use any symbol or letter to indicate unknown or not applicable.
- Provide a complete date. If day is unknown enter 15 as day.
- If month is unknown, provide a reasonable estimate.
- Partial dates are unacceptable. Estimates are permitted.

Once the Third Trimester form is submitted, the prepopulated birth worksheet can be generated from the patient's record to send with the prenatal chart to the delivery hospital.

Third Trimester Form (page 1)

]-[Y Y]					A	LL FIE	LDS R	Requir	ED					PLEAS	E PRIN	T CLEAR
Provider Informa	ation				PRA	OBGYN	- (Pro	vider A	lddress , l	Phone, i	Fax)								
Patient Informat	on									Nev	v Inform	ation							
Name																	SSN#.		
Address										Add	ress					- (<u> </u>		-
					Provider C SSN#						-					_ Col	unty		
										Prim	ary Phone			4	Pr	eferred	Contact C) Call	O Text
													Pre	natal C	are				
													Site # of	prenata		E	Atte of last pre		• visit
Current Pregnanc	Risk	Facto	ors			_	-	-	_	_		_	Status		-	-		0.0	Statu
ourient requalit						v		Hele	Hype	remesis			Y N		Matern	al Fetal	Infection		O C
Toxoplasmosis	Ň	N	Unk	CMV		Ŷ	N	Unk	Gesta	ational D	iabetes	0	ō ō		Abdom	inal Su	rgery		0 0
Listeria	0	0	0	HPV		Ō	0	0	1000	nsulin De Preeclam	ependent		000			enetic/Sephritis	Structural Abn	om	00
Influenza	0	0	0	Chlarr	ydia	0	0	0	Eclan		грыа		00				nfection		00
Varicella Zoster	0	0	0	Syphil		0	0	0	and the second se	nta Prev	via		0 0		Hepati				ō ċ
Rubella	0	0	0	Gonor		0	0	0	Cervi	cal Incor	mpetence		00		Hepati	is B			0 0
Parvovirus	0	0	0		B Strep	0	0	0		ole Gest			00		Hepati				00
West Nile Virus	0	0	0	Traum		0	0	0		osomia			0 0		Alcoho				00
Lyme Disease Malaria	0	0	0	Kn Se	nsitization	0	0	0	IUGR		dramnios		000			ug Use Depend			00
Internetio	0	0	0				-		Abno	rmal Am	nniocentesi	8	00				ement Tx		0 0
Current Medical C	onditi	ons/P	icke		_	-	-			rmal AF	Р		00						
	١	Yes N	No U	On Ink Meds			Yes	No	Unk Med	ls			Yes		Unk (On Aeds	Ye		Unk Med
Neurological Conditi Seizures			-	00	Phlebit	-	0	0	0 0		Liver Dise		0		-	0	STD C		0 0
Epilepsy/Seizure Dis		-			Anemia Blood (ı Dyscrasi	0	0	00		Renal Dis Lupus	sease	0	-	-	O na	HIV C		0 0
Depression/Mental II			-	0 0	-	Diseas		õ	0 0		Uterine A	bnormali		_	-	na 🗍	Fever ≥100.4	and " and " seat" and " seat"	
Asthma		-	-	0 0		Cell Trait		õ	O na		Abnorma			-	-	0	O 1st Trime		None
Tuberculosis		-		0 0	Thalas	semia	0	0	0 0)	Allergies		0	0	0	0	O 2nd Trim O 3rd Trime) Unknowr
Heart Condition	_	_	-	00						Yes	No	01.7	d(ren) di		1		Prenatal Vi	0.01036	
and a spendad	- nur ru	2. rat	Yes	No	Perinatal	Depres	sion			0	0		d(ren) di sm Spec				O 1st Trime		None
Disabled Homeless			0	0	Domestic Educatio					0	00		Yes) No		O 2nd Trim	ester O	
Unstable Housing	7		00	0	Unemplo			e Incorr	10	00	00		Unknow) N/A	.	O 3rd Trime		
Transportation Prob	lems		ŏ	ŏ	Husband					ŏ	ŏ		nily Histo Iomalies			"	Blood Type		
Eating Disorder			0	0	Inadequa					0	0	-	Yes	-) No				O Negative O Positive
Nutritional Concerns Prenatal Fetal Diac		S Cale	O	O	Currently	in Foste	er Care			0	0	0	Unknow) N/A		5. 00		- Coluve
O Coarctation of t	~	_			utlet Right \	/entricle	0	Tricuso	id Atresia		OT	ansp of (Great Arte	ries I	O Inte	rrupted	Aortic Arch	OTetra	alogy of Fal
O Total Anomalou			_	Ebstein A			-		astic Left H	leart		uncus Ar			-		Atresia		e of the abo
Venous Return	nomal	N					0	Other N	Von-Cardia	ac Anom	nalv				O Sin	ale Ven	tricle	OUnkr	nown

Third Trimester Form (page 2)

HIM Was mother towers HV peaking backets the peak of the section	42628	atient Name	9] <u>a</u> i	LL FIELDS REQU	IRED			PLEASE PRINT CL	EARI
HIV bestop O Yes O No O Refused Date Specifier Obtained Image: Control of December 2014 Where? O Hendall Rovider O Holy Rovider O Holy Rovider O Holy Rovider O Holy Rovider Thit Timester IV Social Information O Holy Rovider Searce of HV Information Searce of HV Information O Holy Rovider O Ho	If Yes, Skip to Prenatal Pr		ering prenat	tal care?		If Yes, when?) 1st Trime	ster O 2nd T	rimester O	3rd Trimester	O No
Where? O Principle O Horovider											
Id Trimster HV Specknise Information HIV Testing Statistical during 344 trimsets of pregnancy? Vise No Refused Date Spectime Obtained Image: Comparison of the spectime of the spe	HIV testing obtained upon receip	ot of prenata	al care?	O Yes	O N	o O Refused		Date Specim	en Obtained		
HIV testing obtained during 3d trimester of pregnancy? Vis No Refured Date Speckmen Obtained Image: Control of the speck during 3d trimester of pregnancy? Vis None Other Operation Other Operation Image: Control of the speck during 3d trimester of pregnancy? None Other Operation Image: Control of the speck during 3d trimester of pregnancy? None Other Operation Image: Control of the speck during 3d trimester of pregnancy? None Other Operation Image: Control of the speck during 3d trimester of pregnancy? None Other Operation Image: Control of the speck during 3d trimester of pregnancy? None None Other Operation Image: Control of the speck during 3d trimester of pregnancy? None None <td>Where? O Prenatal Provider</td> <td>OHIVI</td> <td>Provider</td> <td>O Hospita</td> <td>I Labor/D</td> <td>elivery O None</td> <td>O Oth</td> <td>er Specify</td> <td></td> <td></td> <td></td>	Where? O Prenatal Provider	OHIVI	Provider	O Hospita	I Labor/D	elivery O None	O Oth	er Specify			
Where? Prenatal Provider HV Provider Propriat Laber/Delay? None Other Speech	3rd Trimester HIV Specimen Info	mation									
Source of HW Information Select all find apply Mother's Medical Records Patient's Vetoal History Medical Provider Interview None Source of HW related Information Select all find apply None Styphilis Serology Obtained? Yes No Use of HBSAg Test Styphilis Serology Obtained? Yes No Use of HBSAg Test Styphilis Serology Obtained? Yes No Use of HBSAg Test Styphilis Serology Obtained? Yes No Use of HBSAg Test Styphilis Serology Obtained? Yes No Use of HBSAg Test Styphilis Serology Obtained? Yes No Use of HBSAg Test Styphilis Serology Obtained? Yes No Use of HBSAg Test Styphilis Serology Obtained? Yes No Use of HBSAg Test Styphilis Serology Obtained? Yes No Use of HBSAg Test Yes No No <td>HIV testing obtained during 3rd t</td> <td>trimester of</td> <td>pregnancy?</td> <td>O Yes</td> <td>O No</td> <td>O Refused</td> <td></td> <td>Date Specim</td> <td>en Obtained</td> <td></td> <td></td>	HIV testing obtained during 3rd t	trimester of	pregnancy?	O Yes	O No	O Refused		Date Specim	en Obtained		
Saures e HW related Information Select at finat appy O Moher's Medical Recent; Patient is Barolegy Obtained? Weekee Provider Integration O Mone Hepatitis Barolegy Obtained? Yes No Unknown Date of HBSAg Test. Syphilis Serolegy Obtained? Yes No Diff. Presented Proceedures Yes No Unknown Date of HBSAg Test. Syphilis Serolegy Obtained? Yes No Diff. Presented Proceedures Sectian? Ottained? Yes No Diff.	Where? O Prenatal Provider	OHIV	Provider	O Hospita	I Labor/D	elivery O None	O Oth	er Specify 🔲	ПИКПП		m
Hey attils & Barology Obtained? Yes No Unknown Dut Annon Dut e of HBSAg Test Yes Syphilis Serology Dut and the option Prenatel Procedures Secket all flat apply Yes No Unknown Dut and the option O rockyles Ceneral Cencloge Esternal Cephalic Version Altempted Yes No O nonlysis O rockyles Ceneral Cencloge Esternal Cephalic Version Altempted Feat Ultrasound Performed Yes No O rockyles Annio Genetic Screening Successful Feat Ultrasound Performed Yes No O call Free DNA Test Annio Genetic Screening None of these progedures progedures profectioned None of these progedures profectioned None of these progedures profectioned Number of the dark freedure Man Stacker Skip 6 dPs Ptat Haw many cigarathes OR parts dark In Trimester Dec year Trimester OR dec meet the dark freedure None of these profectioned profectioned freedure None of these profectioned freedure Patter Meet test freedure None of these profectioned freedure None of these profectioned freedure	Source of HIV Information										-
Headatis Bourback Antigen Y res No U known Image: Second State	Source of HIV related Information	n Select all t	that apply	0	Mother's I	Medical Records	O Patient	's Verbal History	O Medical	Provider Interview O No	ne
Pesitive? (HBSAg) Circle Control of the Control of	Hepatitis B Serology Obtained?	O Yes (ONO OI	Unknown	Date of I	HBSAg Test	Sy	philis Serology (btained? O	Yes O No O Unknown	
Prenatal Procedures Select al flut apply Tectivis Fetal Ultracound Performed Yes No O Colvis O Convical Cerclage External Cephalic Version Attempted If Version Attempted If Version Attempted Number of the Version Attempted O CVS Annois Generalis Soreaning Successful O Faled O and Timester Number of the Version Attempted O Bines of the DNA Test Annois Other Purpose None of these precedures performed O and Timester Data Timester		O Yes (ONO OI	Unknown	<u></u> -	· []] - []]			s Serology		
Cooking Cervical Cerclage External Cepthalic Version Altempted If Yes. Wonth? CVS Amnio Genetic Sceening Successful Cannot Cerclage Selective Feal Reduction Amnio Cenetic Sceening Successful Cell Free DNA Test Amnio Cenetic Sceening Successful O Non Smoker More mark period within genetic free DNA Test None of these proceedures performed O Non Smoker addy unake period within genetic free DNA Test None of these proceedures performed O Non Smoker addy to dPs Plus It was make period within genetic free DNA Test Did dether of your partnet have a problem with drugs or alcohol Have you ever drunk beat/wink/liquor Mare you ever flot out of control or helpless It Amy is checked, continue with the dPS Over the past 2 weeks How many cigarettes did you smoke Have you left little interest or pleasure in doing things Non Referral Needed About how many durgs aveck did you usually O About how many durgs aveck did you usually Continue with heed many durgs daveck did you usually Markeer of the State Receiver in doing things About how many durgs aveck did you usually O No Referral Needed Did ketter with keer/winnelinguor In the month before you knew you wee pregnant: Have you left little interest or pleasure in doing things Have you left little interest or pleasure in doing things About how many durgs aveck did you usually O No Referral Needed Did better wind days a week did you usually <tr< td=""><td></td><td></td><td></td><td></td><td>MM</td><td>D D Y Y</td><td>OF</td><td>otained?</td><td>M</td><td>M DD YY</td><td></td></tr<>					MM	D D Y Y	OF	otained?	M	M DD YY	
O V/S Annic Ansatz Streening Successful If it Trinester Number of Utage of the Streening O Stack versus Annic Assess Lung Maurity Successful O and Trinester Data of trinester Call Free DNA Feet Annic Other Purpose Nene of these procedures performed O and Trinester Data of trinester Stack versus Non Smoker How many cigarettes OR packs did you make period enter sere (0) Trinester Data of trinester Data										Juasounu Penoimeu	
Control of the end Reduction Control of the control of th	-	-				-					_
Cell Free DNA Test A min Other Purpose None of these procedures performed 3rd Trimester Smoking/Tobacco Use Non Smoker How many cigarettes 0R packs did you marke period willing pach of the following three periods? The Smoker The Smoker Did of the second secon	-				-	-				Litrace	
Smoking (Transform) How many cigarettes OR packs did you anoke per day during each of the inform during any time period enter zero (0) Intermediate Pack Control Control <td></td> <td></td> <td></td> <td>-</td> <td>tunty</td> <td>-</td> <td>- Andrewson and a second</td> <td></td> <td></td> <td></td> <td></td>				-	tunty	-	- Andrewson and a second				
O Non Smoker you anote part day during sets of of the three methods of the three sets of the dPs Pks you anote part during any time period enter zero (0) Three sets of the dPs Pks Yes No Yes No Yes No Did ather of your partner have any problem with drugs or alcohol Yes No Yes Yes No Yes Yes No Yes Yes No Yes	And Based Mail Holderid Bills	-				O None of the	e procedui	res performed			
And notation Tellowing any time periods? Intermediater side to 4Pa Phas Tellowing any time period enter zero (i) Termester OR 3rd Trimester OR APS Plus Yes No Yes No Yes No Did dither of your parents have a problem with drugs or alcohol OR Have you ever druk beer/wine/liquor OR Yes No Dase you ever felt cut of control or helpless OR Have you ever felt control or helpless OR Have you ever felt down, depressed or hopeles How many cigarettes did you smoke OR Checked, continue with the 4Ps Have you felt down, depressed or hopeless How much beer/wine/liquor did you use How much beer/wine/liquor did you use OR Usetions. About how many days a week did you usually drink beer/wine/liquor O O O O Adout how many days a week do you usually drink beer/wine/liquor O O O O Adout how many days a week do you usually drink beer/wine/liquor O O O O O Adout how many days a week do you usually drink beer/wine/liquor O O O O O O O O O O O O<	100 F					Cigarette	s Pack		Cigarettes Pa	acks <u>Cigarettes</u>	Pap
Arrow during any time period enter 2ero (o) Yes No 4Ps Plus Yes No Yes No Did either of your parents have a problem with drugs or alcohol O Have you ever drunk beer/wine/fiquor O Boes your partner have any problem with drugs or alcohol O In the month before you knew you were prognant. *Any None Have you ever felt out of control or helpless O How many cigaretites did you smoke O O Have you felt dttte interest or pleasure in doing things How much mariyuana did you use O O O About how many days a week do you usually drink beer/wine/fiquor O O O O O And now, about how many days a week do you usually drink beer/wine/fiquor O <t< td=""><td></td><td>following tin</td><td>me periods?</td><td></td><td></td><td>1st Trimester</td><td>OR</td><td>2nd Trimester</td><td>OR</td><td>3rd Trimester</td><td>OR</td></t<>		following tin	me periods?			1st Trimester	OR	2nd Trimester	OR	3rd Trimester	OR
Did either of your parents have a problem with drugs or alcohol O Have you ever drunk beer/wine/liquor O Daes your partner have any problem with drugs or alcohol O Have you ever drunk beer/wine/liquor O Have you ever felt out of control or helpless O In the month before you knew you were pregnant *Any None Core the past 2 weeks How many cigarettes did you smoke O O Our the past 2 weeks O Have you felt down, depressed or hoppless How much beer/wine/liquor did you drink O Our the past 2 weeks O Have you felt down, depressed or hoppless How much beer/wine/liquor No Referral Needed No Referral Needed In the month before you knew you were pregnant: Every Day 3-6 DaystMk +12 DaysMk No Referral Needed About how many days a week did you usually drink beer/wine/liquor O O O O And now, about how many days a week do you usually drink beer/wine/liquor O O O O Substance Abuse Prevention Education Not Referral Retword Needed Needed Needed Substance Abuse Prevention Education O O O O O O	It Non Smoker skip to 4Ps Plus	If none duri	ng any time p	period enter	zero (0)						
Does your partner have any problem with drugs or alcohol O If Any is checked, continue with drugs or alcohol If Any is checked, continue with drugs or	4Ps Plus				Yes	No		÷		Yes No	
Does your partner have any problem with drugs or alcohol If Any is checked, continue with drugs or alcohol If Any is checked, continue with drugs or alcohol Have you ever felt out of control or helpless In the month before you knew you were pregnant *Amy None Have you ever felt out of control or helpless In the month before you knew you were pregnant *Amy None Have you felt dwn, depressed or hopeless How many cigarettes did you use If Any is checked, continue with the 4Ps Have you felt little interest or pleasure in doing things How much marijuana did you use Image: Control or helpless Arey ou felt dwn, depressed or hopeless How much marijuana did you use Image: Control or helpless Arey ou felt dittle interest or pleasure in doing things How much marijuana did you use Image: Control or helpless About how many days a week did you usually drink beer/wine/liquor Image: Control or heroin Image: Control or heroin Image: Control or heroin And now, about how many days a week did you usually drink beer/wine/liquor Image: Control or heroin Image: Control or heroin Image: Control or heroin Tobacco Cessation Image: Control or heroin Substance Abuse Assessment <td>Did either of your parents have</td> <td>a problem (</td> <td>with drugs o</td> <td>r alcohol</td> <td>0</td> <td>O Have you</td> <td>ever drur</td> <td>nk beer/wine/liqu</td> <td>or</td> <td>00</td> <td></td>	Did either of your parents have	a problem (with drugs o	r alcohol	0	O Have you	ever drur	nk beer/wine/liqu	or	00	
Have you ever felt manipulated by your partner In the month before you knew you were pregnant *Anv None Have you ever felt out of control or helpless O How many cigarettes did you smoke O Over the past 2 weeks How many cigarettes did you smoke O O Have you felt dwn, depressed or hopeless How much beer/wine/fiquor did you drink O Ouestions. Have you felt dtille interest or pleasure in doing things How much beer/wine/fiquor did you use O Ouestions. After for Assessment Prevention Education 1.2 Days/Wk No Referral Needed Did Not Drink/Use Drugs About how many days a week did you usually drink beer/wine/fiquor O O O And now, about how many days a week do you usually drink beer/wine/fiquor O O O Use any drug such as marijuana, cocaine or heroin O O O Substance Abuse Prevention Ed O Breastfeeding Consult O O Substance Abuse Assessment O O O O O Substance Abuse Assessment O O O O O O Substance Abuse Assessment O O O					-	-					
Have you ever felt out of control or helpless O Continue with the 4Ps Over the past 2 weeks How many cigarettes did you smoke O Have you felt down, depressed or hopeless O How much beer/wine/liquor did you drink O Have you felt little interest or pleasure in doing things O How much marijuana did you use O 4Ps Plus Follow-up Questions (if *Any above was checked) Refer for Assessment Prevention Education No Referral Needed About how many days a week did you usually drink beer/wine/liquor O O O O And now, about how many days a week do you usually drink beer/wine/liquor O O O O In the month before you knew you usually drink beer/wine/liquor O O O O O About how many days a week do you usually drink beer/wine/liquor O O O O O O And now, about how many days a week do you usually drink beer/wine/liquor O					-	and the second s	nth before	e vou knew vou v	vere pregnant	ANY NOTE	
Over the past 2 weeks How many cigarettes did you smoke In the warsh of th					-	-		, ,	1.0		with
Have you felt down, depressed or hopeless O How much beer/wine/liquor did you drink O Questions. Have you felt little interest or pleasure in doing things O How much marijuana did you use O Questions. 4Ps Plus Follow-up Questions (if *Any above was checked) Refer for Assessment Prevention Education No Referral Needed In the month before you knew you were pregnant: Every Day 3-6 Days/Mk 1-2 Days/Mk et Day/Mk No Referral Needed About how many days a week <i>did you</i> usually O O O O O use any drug such as marijuana, cocaine or heroin O O O O O And now, about how many days a week <i>did you</i> usually O O O O O And now, about how many days a week <i>did you</i> usually O </td <td></td> <td></td> <td></td> <td></td> <td>Ŭ</td> <td>*</td> <td>ow many</td> <td>cigarettes did vo</td> <td>u smoke</td> <td></td> <td>, </td>					Ŭ	*	ow many	cigarettes did vo	u smoke		,
Have you felt little interest or pleasure in doing things How much marijuana did you use Image: Control of the		ressed or h	opeless		0					• • •	
4Ps Plus Follow-up Questions (if *Any above was checked) In the month before you knew you were pregnant: Refer for Assessment Every Day 3.6 Days/Wk Prevention Education 1.2 Days/Wk No Referral Needed Did Not Drink/Use Drugs About how many days a week <i>did you</i> usually drink beer/wine/liquor 0 0 0 use any drug such as marijuana, cocaine or heroin use any drug such as marijuana, cocaine or heroin 0 0 0 Referrals/Education Referred Receiving Services Referred Receiving Referrals/Education Not Needed Medications/Comments Tobacco Cessation 0 0 0 0 0 0 Substance Abuse Prevention Ed 0 0 0 0 0 0 Obmestic Violence Assessment 0 0 0 0 0 0 0 Domestic Violence Assessment 0 </td <td></td> <td></td> <td></td> <td>things</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>				things							
In the month before you knew you were pregnant: Refer for Assessment Prevention Education No Referral Needed About how many days a week did you usually drink beer/wine/liquor 0 0 0 0 use any drug such as marijuana, cocaine or heroin 0 0 0 0 And now, about how many days a week did you usually drink beer/wine/liquor 0 0 0 0 use any drug such as marijuana, cocaine or heroin 0 0 0 0 0 Referrals/Education Referral Receiving Services Referral Receiving Services Referral Receiving Services Referral Receiving Services Not Needed Medications/Comments Tobacco Cessation 0 0 0 0 0 0 0 Substance Abuse Assessment 0 <			-		kod						
About how many days a week did you usually drink beer/wine/liquor O O O use any drug such as marijuana, cocaine or heroin O O O And now, about how many days a week do you usually drink beer/wine/liquor O O O use any drug such as marijuana, cocaine or heroin O O O use any drug such as marijuana, cocaine or heroin O O O use any drug such as marijuana, cocaine or heroin O O O Referrals/Education Reterral Receiving Reterral Retured Net Needed Retured Receiving Reterral Retured Net Needed Not Needed Medications/Comments Tobacco Cessation O O O O O Substance Abuse Assessment O O O O Substance Abuse Assessment O O Still O O Diabetes Care Program O O Food Stamps O O O Nutritional Consult O O Food Stamps O O O O Corrmunity Based Services* na na O Oral Health Education O O		100000			<u>keuj</u>						
drink beer/wine/liquor O O O O use any drug such as marijuana, cocaine or heroin O O O And now, about how many days a week do you usually drink beer/wine/liquor O O O use any drug such as marijuana, cocaine or heroin O O O use any drug such as marijuana, cocaine or heroin O O O Referrals/Education Reterral Receiving Services Reterral Receiving Neterral Receiving Services Reterral Receiving Services Not Needed Medications/Comments Tobacco Cessation O O O O O O Substance Abuse Assessment O O O O O Substance Abuse Assessment O O O O O Diabetes Care Program O O Start O O O Nutritional Consult O O Food Start O<			Sector Contractor	_		Every Day 3-6	DaysAAk	1-2 DaysAV	k <1 DayAWk	Did Not Drink/Use Dru	gs
use any drug such as marijuana, cocaine of heroin O O O And now, about how many days a week do you usually drink beer/wine/liquor O O O use any drug such as marijuana, cocaine or heroin O O O use any drug such as marijuana, cocaine or heroin O O O Referrals/Education Reterred Receiving Reterral Retured Not Services Reterred Receiving Reterral Retured Not Needed Not Needed Not Needed Medications/Comments Cobacco Cessation O O O O O O Substance Abuse Prevention Ed O O O O O Substance Abuse Assessment O O TANF/GA O O Domestic Violence Assessment O O Still O O Diabetes Care Program O O Still O O O Preterm Labor Prevention O O Still O O O Not tritional Consult O O Food Stamps O O O Includes referate to local Community Health Worker, Community Oral			<i>i you</i> usuali	y	1	0	0	0	0	0	
And now, about how many days a week do you usually drink beer/wine/liquor O O O use any drug such as marijuana, cocaine or heroin O O O O Referrals/Education Reterred Receiving Reterral Retured Not Services Retured Receiving Reterral Retured Not Needed Not Needed Retured Receiving Reterral Retured Not Needed Medications/Comments Tobacco Cessation O O O O O O Substance Abuse Prevention Ed O O O Breastfeeding Consult O O Substance Abuse Assessment O O O ThatF/GA O O O Diabetes Care Program O O Still O O O O Preterm Labor Prevention O O Still O O O O Nutritional Consult O O Food Stamps O O O O O Includes referate to local Community Health Worker, Community Oral Health Education O O O O O			marijuana (cocaine or	heroin			-			
drink beer/Wine/liquor O <td></td> <td>-</td> <td></td> <td></td> <td>ioroin i</td> <td></td> <td><u> </u></td> <td>÷</td> <td></td> <td></td> <td></td>		-			ioroin i		<u> </u>	÷			
Referrals/Education Reterral Receiving Services Mode Services Medications/Comments Tobacco Cessation O O O Childbirth Education O <			, noon ao y	ou accany		0	0	0	0	0	
Services Needed Needed Needed Needed Tobacco Cessation O O O Childbirth Education O O O Substance Abuse Prevention Ed O O O Breastfeeding Consult O O O Substance Abuse Assessment O O O Breastfeeding Consult O O O Mental Health Assessment O O O TANF/GA O O O Domestic Violence Assessment O O O WIC O O O Diabetes Care Program O O O SSI O O O Preterm Labor Prevention O O Food Stamps O O O Community Based Services* na na O Dental Referral O O O Includes referate to local Community Health Worker, Community Variat Heducation O O Oral Health Education O O	use any dru	ig such as i	marijuana, c	ocaine or h	neroin	0	0	0	0	0	
Services Needed Needed Needed Needed Tobacco Cessation O O Childbirth Education O O Substance Abuse Prevention Ed O O Breastfeeding Consult O O O Substance Abuse Assessment O O Breastfeeding Consult O O O Substance Abuse Assessment O O O Emergency Assistance O O O Mental Health Assessment O O O TANF/GA O O O Darbetes Care Program O O O SSI O O O Diabetes Care Program O O DCP&P O O O O Nutritional Consult O O Food Stamps O O O O Community Based Services* na na O Dental Referral O O O // indudes referrate to local Community Health Worker, Community Oral Health Education O O O O	Referrals/Education	Referred Reco	eiving Referra	Refused	Not		Referred	Receiving Referral	Refused Not	Medications/Comment	c
Substance Abuse Prevention Ed O O Breastfeeding Consult O O O Substance Abuse Assessment O O Emergency Assistance O O O Mental Health Assessment O O TANF/GA O O O Domestic Violence Assessment O O TANF/GA O O O Diabetes Care Program O O SSI O O O Nutritional Consult O O Dental Referral O O O Community Based Services* na na O Dental Referral O O O Vinter Visiting and other supportive services Vral Health Education O O O O		Ser	vices Needed	1	Needed			Services Needed	Needed		-
Substance Abuse Assessment O O Emergency Assistance O O O Mental Health Assessment O O TANF/GA O O O Domestic Violence Assessment O O WIC O O O Diabetes Care Program O O O SSI O O O Preterm Labor Prevention O O DCP&P O O O Nutritional Consult O O O Food Stamps O O O Community Based Services* na na O Dental Referral O O O Vinter Visiting and other septores services Verter, Community Varial Health Education O O O											
Mental Health Assessment O O TANF/GA O O O Domestic Violence Assessment O O O WIC O O O Diabetes Care Program O O O SSI O O O Preterm Labor Prevention O O O DCP&P O O O Nutritional Consult O O O Food Stamps O O O Community Based Services* na na O Dental Referral O O O * Includes referate to local Community Health Worker, Community Vral Health Education O O O									0 0		
Domestic Violence Assessment O O WIC O O O Diabetes Care Program O O O SSI O O O Preterm Labor Prevention O O O DCP&P O O O Nutritional Consult O O O Food Stamps O O O Community Based Services* na na O Dental Referral O O O * Includes referate to local Community Health Worker, Community Oral Health Education O O O O			5 ŏ				-		ŏŏ		
Preterm Labor Prevention O O DCP&P O O O Nutritional Consult O O O Food Stamps O O O Community Based Services* na na O Dental Referral O O O * Includes referate to local Community Health Worker, Community Oral Health Education O O O O			O C					0 0	ŏŏ		
Preterm Labor Prevention O O DCP&P O O O Nutritional Consult O O O Food Stamps O O O Community Based Services* O na O Dental Referral O O O * Includes referate to local Community Health Worker, Community Oral Health Education O O O	Diabetes Care Program		οc			SSI	0	0 0	Õ Õ		
Community Based Services* O na na O Dental Referral O O O O O O O O O O O O O O O O O O O	Destame Labor Descention		-		121						
* Includes referrals to local Community Health Worker, Community Home Visiting and other supportive services		-									
Home Visiting and other supportive services	Nutritional Consult	() "	ia na	0	0		-	0 0			
PPA ID	Nutritional Consult Community Based Services*	-	Community			Viai nealth Equcatio		0 0	0 0		_
FINAL	Nutritional Consult Community Based Services* * Includes referrals to local Community I	Health Worker,	, Community				~	• •	· ·		

Third Trimester Form Data Entry

Upcoming Patient Due Dates

Allows user to access list of patients >28 weeks gestation in need of Third Trimester form completion.

To complete a Third Trimester form:

<u>www.praspect.org</u> > Login > Click Patient Records > Click Upcoming Patient Due Dates > Click name > Click
ick to left of name > Click Start Third Trimester

• Patient Information

Click save to proceed to next section. The user can access subsequent sections in any order by clicking the title in the navigation bar (see image below). Click Save in each section: Medical Information, Pregnancy Risk Factors, Current Medical Conditions, Psychosocial Risk Factors, 4Ps Plus, and Referrals/Education.

Review | Submit | Exit
 Select Submit > Click Enter Selection (other options are Save and Remove)

 Patient Information PRA Form Review / Submit Medical Information **PRA Form Options** • Pregnancy Risk Factors Save the PRA Form The form will be retrievable by any member of O Save your practice site. All required fields must be Current Medical
 Conditions complete to submit the form. The form will be accessible by the healthcare Submit the PRA Form O Submit plans. Submitted forms cannot be removed from Psychosocial Risk Factors the system. **Remove the PRA Form** The form will be removed from the system and all O Remove • 4Ps Plus information will be deleted. Internal Message You may add notes regarding the form that are only accessible by members of your practice site. Referrals/Education \wedge • Review | Submit | Exit \sim Click navigation bar Enter Selection to access sections in any order

Third Trimester Form Review | Submit | Exit Page

To remove a record from the Upcoming Patient Due List (due to miscarriage, transfer, etc.): www.praspect.org > Login > Click Patient Records > Click Upcoming Patient Due Dates > Click name > Click to left of name > Click Exclude Patient from Lists > Select Reason > Click Exclude > Record moves off list

INCOMPLETE THIRD TRIMESTER FORMS

Saved forms will appear as incomplete entries, and can be completed and submitted at a later time. All users registered at the site can access incomplete entries.

To access an incomplete form:

www.praspect.org > Login > Click Patient Records > Click Incomplete Forms > Click Access Form

• Date Completed

•

Provide full date; include the month, day, and year.

• SSN (Social Security Number)

If the patient is undocumented or a noncitizen, write zero (0) in all blocks.

Undocumented - 000-00-0000

If the patient is a citizen and refuses to give a SSN, enter nine (9) in all blocks.

Refusal – 999-99-999

Note: Amerigroup requires SSN to authorize payment.

- Insurance ID/Medicaid #
 - If none, leave blank.

Note: Once the First Visit form is completed, all insurance updates must be made on the Follow-up form <u>prior</u> to starting the Third Trimester form.

• Insurance Effective Date Date the patient's insurance became effective; found on the patient's insurance card.

PROVIDER INFORMATION

• Provider Chart #

Enter the patient chart number assigned by the prenatal provider. If the provider does not use chart numbers, leave this section blank.

• Planned Delivery Site Code Select the name of the hospital where the patient intends to deliver.

PATIENT INFORMATION

• Last Name, First Name

Do not use an alias or nickname.

Address

Use current address where the patient resides.

• Primary Phone

Enter current home or cell phone number where the patient can be reached.

• Preferred Contact Method

Select text or cell.

• Emergency Contact Name

Provide name of person to contact in an emergency OR if patient has no working phone.

Emergency Contact Phone

Provide current phone number of the emergency contact person.

• Name of the Father of the Baby

Provide first and last name of the father of the baby. If unknown or not involved, leave blank.

- Father of Baby Involved Choose only ONE option.
- Married

Choose only ONE option.

• Race

Choose only ONE option.

- Ethnicity
 Select 'Vec' if U
 - Select 'Yes' if Hispanic.
- Primary Language

Choose ONE language most frequently spoken by the patient. If other, specify language.

Health Insurance

Select every type of insurance in which the patient is currently enrolled.

<u>Medicaid</u>

PE – **Presumptively eligible**

- FFS Fee for service
- MC Managed Care
- MMCO

Select 'None' for PE, FFS, Commercial or Uninsured. Select MMCO for Medicaid MC and NJ Family Care patients. **This field is used to sort and transmit forms to MMCOs.**

ENTRY INTO PRENATAL CARE

• 1st Visit

Enter the date of the initial medical examination during this pregnancy.

1st Visit Under MMCO

Enter the date of the first prenatal appointment completed after assigned to MMCO.

• Last Menstrual Period (LMP)

Enter the date of the first day of the patient's last menstrual period. If unknown, best guess must be entered.

• Estimated Date of Delivery (EDD)

Enter the estimated date of delivery. If unknown, best guess is accepted, and can be updated on the patient's Follow-up form (see page 19).

PERINATAL HISTORY

• First Pregnancy

If Yes, skip to Physical Assessment.

• Date of last live birth

Provide a complete date. If date is unknown – enter 15 as day.

- Date of last other pregnancy outcome. Other pregnancy outcomes include ectopic and molar. Provide a complete date. If date is unknown – enter 15 as day.
- # of Pregnancies including Current

Total of all pregnancies including current pregnancy.

- # of Previous Live Births Total deliveries in which baby was born with signs of life.
- # Live Births Now Living Total number of living children.

- # Term Births ≥ 37 weeks
 Total number of births greater than or equal to 37 weeks.
- # Preterm Births 20-37 weeks
 Total number of births between 20-37 weeks whether or not born with signs of life.
- # Previous Cesarean Sections Total number of previous C-sections planned or unplanned.
- # Miscarriages < 20 weeks Total number of losses less than 20 weeks.
- # Fetal Deaths ≥ 20 weeks
 Total number of births with no signs of life greater than or equal to 20 weeks.
- # Induced Terminations
 Total number of induced terminations. Does <u>not</u> include reductions.
- # Ectopic or Molar Pregnancies
 Total number of ectopic of molar pregnancies.

PHYSICAL ASSESSMENT

- Blood Pressure
- Pre Pregnancy Weight, Current Weight, and Height Information collected in these fields is used to determine the patient's BMI, as well as weight related risks.

INFERTILITY TREATMENT

If 'No', skip to Pregnancy Risk Factors. If 'Yes', select all that apply.

PREGNANCY RISK FACTORS

Select 'Yes' or 'No' for all items to indicate the presence of risk factors in the patient's current or prior pregnancy(ies). Current Pregnancy Risk Factors can be 'Unknown'.

CURRENT MEDICAL CONDITIONS/RISKS

Select 'Yes' or 'No' to indicate whether patient has the listed medical factors. Current Medical Conditions can be 'Unknown'. Select 'Patient History' if there is a personal history of the condition.

PSYCHOSOCIAL RISK FACTORS

Select 'Yes' or 'No' for each risk factor listed. Transportation selection 'Yes' indicates the patient does <u>not</u> have reliable transportation. Psychosocial Risk Factors can be 'Unknown'.

REASON FOR LATE ENTRY INTO PRENATAL CARE

Complete this section only when a patient enters prenatal care *anywhere* for the first time in the 2nd or 3rd trimester. This section is not completed for transfer patients. Select 'Yes' for all reasons that apply.

SMOKING/TOBACCO USE

Select 'Non Smoker' if the patient did not smoke in the three months before pregnancy. Enter # cigarettes or packs if the patient smoked in the three months before patient knew she was pregnant.

4Ps PLUS

This is a required section. Each question must be answered for processing. The evidence-based screen for substance use and referral is designed to be administered as written by prenatal staff.

4Ps PLUS FOLLOW-UP QUESTIONS

Complete this section if 'Any' is selected. The 4Ps Plus Follow-up questions guide providers to refer for external assessment or provider prevention education. These actions should be recorded in the Referrals/Education section (see Referrals/Education section below)

Contact the Maternal and Child Health Consortium (MCHC) (<u>see page 43</u>) in your region for specific training on 4Ps Plus screening, prevention education, referral for assessment, and for information about available substance use treatment and recovery support options.

REFERRALS/EDUCATION

The Referrals/Education section provides a quick and easy checklist for organizing and ensuring optimal patient plan of care. The checklist should be used at subsequent office visits for follow up. State agencies and project partners use Referrals/Education information for data-driven interventions to support the health and wellness of New Jersey mothers and babies.

Select 'Referred' if your office provides referral to an external agency.

Select 'Receiving Services' if your office provides or patient is currently receiving from an external agency. Select "Referral Needed' if patient is referred to Community Based Services (<u>see page 23</u>) to indicate any referrals to be initiated by agency connected to patient.

Select 'Refused' if patient declines referral to an external agency.

Select 'Not Needed' if not applicable or patient does not need.

MEDICATIONS/COMMENTS

List medications the patient is currently taking if 'On Meds' is selected in the Current Medical Conditions/Risks section. It is not necessary to list the dosage/frequency of medications. Include the specific type of medical condition(s) for any of the broader medical categories (i.e. Mental Health/Depression, STI, etc.)

Form Retrieval

PATIENT SEARCH

Allows user to view a patient's record. For optimal results, **limit search to one or two fields**. Incomplete First Visit Forms will not appear in Patient Search until completed.


To search for a patient record:

www.praspect.org > Login > Click Patient Records > Click Patient Search > Enter search information > Click Search Patients > Click to left of patient name

To download a PDF file or print patient's prepopulated birth worksheet to include in prenatal chart for delivery hospital:

www.praspect.org > Login > Click Patient Records > Click Patient Search > Enter search information > Click Search Patients > Click 🔹 to left of patient name > Click Print Birth Record > Click arrow facing down to download

Patient Record (unexpanded)



	Last Nar	no F	irst	DOB					
	Lust Mul	N	ame	000	Plan			Process Date	Form
ŧ	Test	This	Is	09/21/90	None	2		11/8/18	3VM
					VIP	Testing Provider			
Patie	nt Inform	nation	Name	e.		This Is Test			
			Addre	ess		4387 Long Ln			
						Camden, 98765			
						Camden County			
			Home	Phone		856-464-6464	Work Phone		
			Prima	iry Langu	age	English	Race	Multi-Racial	
			Emer	gency Co	ntact	Ima Test			
PRA	History								
Proc	essed For	m	EDC	MCO O	otions				
				U	odates	to insurance must be mad	le on the follow up	p form prior to	
12/1	9/18 <mark>Foll</mark>	<u>ow-up</u>	5/7/19	None be	eginnin	ng VIP Supplemental Form			
-					Print V	<u> IP Supplement Form</u>			
11/0	8/18 Firs	t Visit	5/7/19	None -	Print B	<u>iirth Record</u>			
	·		, ,	-	Exclud	ed:			

PRA|SPECT Functions

PATIENT GROUP PRINT

Allows user to access all First Visit forms processed in a specified date range.

To print forms by process date(s):

www.praspect.org > Login > Click Patient Records > Click Patient Group Print > Enter dates > Click
Search Patients > Click Select All to select/deselect all checkboxes (Click individual checkboxes to
select/deselect forms) > Click Retrieve forms > Click Open > Click PDF file > Click Open

PATIENT LIST BY ENTRY

Generates a list of patients by date of entry into prenatal care and includes most recent screen and date.

To view a list of patients by entry: www.praspect.org > Login > Click Patient Records > Click List by Entry > Enter dates > Click Get List

PATIENT LIST BY ALPHA

Displays an alphabetical list of patients by last name.

To view a list of patients by alpha: <u>www.praspect.org</u> > Login > Click Patient Records > Click Patient List by Alpha > Click letter to view list

CURRENT PATIENTS REPORT

Displays all forms entered within the last 9 months.

To view current patients list:

www.praspect.org > Login > Click Patient Records > Click Current Patients Report

PROJECTED EDD REPORT

Displays all forms with an estimated due date in the next 3 months.

To view projected EDD list:

<u>www.praspect.org</u> > Login > Click Patient Records > Click Projected EDD Report

UPCOMING PATIENT DUE DATES

Displays patients that are >28 weeks and in need of VIP Form Supplemental completion.

To view a list of patients by upcoming due dates: <u>www.praspect.org</u> > Login > Click Patient Records > Click Upcoming Patient Due Dates > Click name to access patient record

1 st trimester	1 to 12 weeks of pregnancy.
2 nd trimester	13 to 27 weeks of pregnancy.
3 rd trimester	28 to 40 weeks of pregnancy.
Abdominal Surgery	Surgical procedure involving maternal abdominal
	organs.
Abnormal APF	Abnormal result of test for maternal serum Alpha
	Feto protein; used to identify structural nervous
	system malations in the fetus.
Abnormal Amniocentesis	Fetal chromosomal abnormality detected by
	analysis of amniotic fluid removed from amniotic
	sac.
Abnormal Pap Smear	Premalignant (before cancer) or malignant
	(cancer) changes detected in a sample of cells
	taken from a woman's cervix.
Access to pregnancy testing	Ability to determine how and where to get a
	pregnancy test.
AIDS	Acquired immunodeficiency syndrome. A disease
	of the immune system caused by the HIV virus.
Alcohol Use	The consumption of any alcoholic substance
	including beer, wine, or liquor, during pregnancy.
Allergies	An exaggerated immune response to substances
	in the environment.
Amnio Assess Lung Maturity	Fetal lung maturity testing involves taking a
	sample of amniotic fluid and testing it to
	determine whether the baby's lungs are mature
	enough for birth.
Amnio Genetic Screening	Genetic amniocentesis involves taking a sample
	of amniotic fluid and testing it for certain
	conditions, such as Down syndrome.
Anemia	Decreased ability of the blood to carry oxygen
	because of a reduction in the number and
	qualities of red blood cells.
Artificial Insemination	Injection of semen into the vagina or uterus other
	than by sexual intercourse.
Assisted Reproductive Technology	Technology used to achieve pregnancy in
	procedures such as fertility medication, artificial
	insemination, in vitro fertilization and surrogacy.
Asthma	Chronic lung disorder categorized by shortness of
	breath, wheezing, coughing, and tightness of the
	chest.

Autism Spectrum Disorder	A serious developmental disorder that impairs the ability to communicate and interact.
Bleeding during current pregnancy	Episodes of vaginal bleeding during current pregnancy.
Blood Disorder	Affects one or more parts of the blood and prevents blood from doing its job.
Blood Dyscrasia	Abnormality in the cellular components of the blood or bone marrow.
Blood Type	Classification of blood based on the presence or absence of inherited antigenic substances on the surface of red blood cells. A, B, AB, or O.
Breast Feeding Consult	Consultation with International Board Certified Lactation Consultant.
Cancer	Abnormal cells with uncontrolled cell growth.
Cardiac Anomaly	Heart conditions that include diseased vessels,
	structural problems, and blood clots.
Cell Free DNA Test	Measures the relative amount of free fetal DNA
	in the mother's blood which consists of
	approximately 2-6% of the total.
Cervical Cerclage	Treatment for cervical incompetence or
	insufficiency, when the cervix starts to shorten
	and open too early during a pregnancy causing
	either a late miscarriage or preterm birth.
Cervical Incompetence	Cervix that dilates painlessly, without
	contractions.
Chart #	Medical record number assigned by OB site.
Childcare Issues	Difficulty with locating or enrolling in childcare.
Childbirth Education	Course designed for expectant parents that
	reviews what to expect during pregnancy, labor, and delivery.
Chlamydia	A common sexually transmitted infection that
	may not cause symptoms. The bacteria that
	causes chlamydia usually infects a woman's cervix
	or it may infect the urethra in men and women.
Chronic Hypertension	High blood pressure; transitory or sustained
	elevation of systematic arterial blood pressure to
	a level likely to induce cardiovascular
CMV	Cytomegalovirus is a genus of viruses in the order
	Herpesvirales, in the family Herpesviridae, in the
	subfamily Betaherpesvirinae.

Coarctation of the Aorta	A narrowing of the large blood vessel (aorta) that leads from the heart.
Cocaine	A powerful drug that is used in medicine to stop pain or is taken illegally for pleasure.
Commercial/Private Insurance	Non-Medicaid health insurance.
Community Based Services (CBS)	Supportive services provided by evidence-based and other programs- either in the home or at a mutually agreed upon location.
Community Based Services (CBS) Referral	New Jersey CBS referral that links men, women, and children to local programs and services based upon individual needs.
Congenital Anomalies	An often-inherited medical condition that occurs at or before birth.
Congenital Syndrome	Also known as congenital disease, birth defect or anomaly, is a condition existing at or before birth regardless of cause.
Couldn't Find a Health Provider	Difficulty with locating or enrolling in primary healthcare services, including prenatal care.
Currently in Foster Care	Living in a home of a foster parent who is supervised by DCP&P.
CVS	Chorionic villus sampling, often referred to as CVS, is a diagnostic test for identifying chromosome abnormalities and other inherited disorders.
Cystic Fibrosis	Also known as CF or mucoviscidosis; a hereditary disease affecting the exocrine (mucus) glands of the lungs, liver, pancreas, and intestines, causing progressive disability due to multisystem failure.
DCP&P	Division of Youth and Family Services: child welfare services unit in New Jersey. Formerly known as DYFS.
Department of Health (DOH)	Government agency that protects health and provides essential health services.
Department of Human Services (DOHS)	Government agency that protects health and provides essential health services.
Depression/Mental Illness	Clinical symptoms of depression or mental illness requiring medication or treatment.
Diabetes	Disorder of carbohydrate metabolism resulting from insulin deficiency. Characterized by high blood sugar levels that result in weakness, frequent urination, increased thirst and hunger.
Diabetes Care Program	Disease management program specific to diabetes.

Disabled Division of Medical Assistance and Health Services (DMAHS)	 Lack of ability relative to a personal or group standard or norm. May involve physical impairment such as sensory, cognitive or intellectual impairment, mental disorder, or chronic medical disease. Government agency that administers Medicaid's state and federally funded NJ FamilyCare and Medical Assistance.
Domestic Violence	A pattern of behaviors used by one partner to maintain power and control over another partner in an intimate relationship.
Double Outlet Right Ventricle	(DORV) is a heart disease that is present from birth (congenital).
Eating Disorder/Disorderly eating	Present when a person experiences severe disturbances in eating behavior, such as extreme reduction of food intake, extreme overeating, or feelings of extreme distress or concern about body weight or shape.
Ebstein Anomaly	A congenital heart defect in which the septal and posterior leaflets of the tricuspid valve are displaced towards the apex of the right ventricle of the heart.
Eclampsia	Severe and potentially fatal pre-eclampsia causing seizures (convulsions) or coma during or after pregnancy.
Ectopic Pregnancy	Fertilized egg implanted outside the uterus. Potentially life-threatening, must be terminated, and often requires surgery.
Education < 12 yrs	Education level is less than high school graduate.
Emergency Assistance	Essential food, clothing, shelter and household furnishings, temporary rental assistance or back rent or mortgage payments, utility payments, and moving expenses for those who are homeless or at immediate risk of becoming homeless. Administered by the New Jersey Division of Family Development.
Epilepsy	A disorder in which nerve cell activity in the brain is disturbed, causing seizures.
External Cephalic Version Attempted	External cephalic version, or version, is a procedure used to turn a fetus from a breech position or side-lying (transverse) position into a head-down (vertex) position before labor begins.

Family Health Initiatives (FHI)	A private, nonprofit subsidiary of the Southern New Jersey Perinatal Cooperative contracted by the DOH under agreement with DMAHS.
Fertility Enhancing Drugs	A drug used to increase a woman's fertility.
Fetal/Genetic/Structural Abnormalities	Abnormalities in the fetus (heart, kidneys, lungs, etc) determined by ultrasounds or chromosomal analysis.
Fetal Death	Fetus born \ge 20 weeks gestation with no signs of life.
Fetal Reduction	Selective termination of one or more fetuses in a multi-fetal pregnancy.
Financial	Difficulty with personal finances.
Food Stamps	Program offered by the Food and Nutrition Services, which provides benefits to low-income people that can be used to buy food to improve their diets.
Gestational Diabetes	Occurrence or worsening of diabetes during pregnancy.
Gonorrhea	A sexually transmitted bacterial infection that, if untreated, may cause infertility.
Group B Strep (GBS)	Streptococcal infection occurring in the mother's vagina and throat.
Heart Condition	Diagnosed heart problem requiring medications or limitations of physical activity.
Hepatitis A	Highly contagious liver infection caused by the hepatitis A virus.
Hepatitis B	Infectious disease that affects the liver.
Hepatitis B Serology	Testing involves measurement of several hepatitis B viruses.
Hepatitis B Surface Antigen	"Surface antigen" is part of the hepatitis B virus that is found in the blood of someone who is infected.
Hepatitis C	An infection caused by a virus that attacks the liver and leads to inflammation.
Heroin	An opioid drug made from morphine that is used as a recreational drug for its euphoric effects.
History of PROM	History of premature rupture of the membranes (amniotic sac).
HIV Positive	Serologic presence of human immunodeficiency virus (HIV).

Homeless	Current lack of permanent housing.
Home Visiting (Community Based Services)	Supportive services provided by evidence-based and other programs- in the home.
HPV	An infection that causes warts in various parts of the body, depending on the strain.
Hyperemesis	Severe nausea, dehydration, and vomiting during pregnancy. Occurs most frequently during the 1 st trimester.
Hypertension	A condition in which the force of the blood against the artery walls is too high.
Hypoplastic Left Heart	A rare congenital heart defect in which the left heart is severely underdeveloped.
Illicit Drug Use	Abuse of illegal drugs and/or the misuse of prescription medications or household substances use of any illegal or street drug during pregnancy.
Inadequate Social Support	Lacking family or other supportive relationships.
Influenza	Influenza is a viral infection that attacks your respiratory system — your nose, throat and lungs. May be fatal in at-risk populations.
Interrupted Aortic Arch	(IAA) is a relatively rare genetic disorder that usually occurs in association with a nonrestrictive ventricular septal defect (VSD) and ductus arteriosus or, less commonly, with a large aortopulmonary window or truncus arteriosus.
Intrauterine Insemination	(IUI) is a fertility treatment that involves placing sperm inside a woman's uterus to facilitate fertilization.
Listeria	Listeriosis, a serious infection usually caused by eating food contaminated with the bacterium Listeria monocytogenes.
Low Income	Insufficient monetary funds to support an individual or household.
Lung Disease	Any problem in the lungs that prevents the lungs from working properly.
Lyme Disease	A bacterial infection primarily transmitted by Ixodes ticks.
Malaria	A mosquito-borne infectious disease of humans and other animals caused by parasitic protozoans belonging to the Plasmodium type.
Marijuana	Cannabis, also known as marijuana among other names, is a preparation of the Cannabis plant intended for use as a psychoactive drug or medicine.

Madizaid MC 8 MCO	Managad Cara (MC) are bealthears areasing
Medicaid MC & MCO	Managed Care (MC) are healthcare organizations
	that contract with a network of providers to
	cover services to their enrollees. Medicaid
	Managed Care Organizations (MMCOs) are
	responsible for providing or arranging for the full
	range of healthcare services.
Medicaid PE	Presumptive eligibility (PE) allows children and
	pregnant women to get access to Medicaid or
	Chip services without having to wait for their
	application to be fully processed.
Medicare	Provides health insurance for Americans aged 65
	and older who have worked and paid into the
	system. It also provides health insurance to
	younger people with disabilities, end stage renal
	disease and amyotrophic lateral sclerosis.
NJ Family Care	New Jersey's publicly funded health insurance
,	program including CHIP, Medicaid and Medicaid
	expansion populations.
Opiate Dependence	Physical reliance on opioids (substance found in
opiate Dependence	certain prescription pain medication and illegal
	drugs like heroin).
Onicid Donlocoment Treatment	
Opioid Replacement Treatment	Also called opioid substitution therapy or opioid
	maintenance therapy – replaces an illegal opioid
	such as heroin with a longer acting but less
	euphoric opioid. Such as methadone or
	buprenorphine.
Parvovirus	(CPV) infection is a highly contagious viral illness
	that affects dogs.
Planned Delivery Site Code	Three-digit code assigned to patient's intended
	delivery hospital.
PRA SPECT	Perinatal Risk Assessment & Single Point Entry
	Client Tracker is New Jersey's online web portal
	www.praspect.org that serves as secure and
	integral system of care to streamline health
	navigation and reduce duplication of services.
Preeclampsia	Preeclampsia is high blood pressure that occurs
17	after 20 weeks of pregnancy. Signs
	of preeclampsia include headache and nausea.
Prevention Education	Educational methods or activities that seek to
	reduce or deter specific or predictable problems,
	protect the current state of well-being, or
	protect the current state of weinbeing, of
Brimany Caro	
Primary Care	A patient's main source for regular medical care,
	ideally providing continuity and integration and
	coordination of health care services.

Pulmonary Atresia	A form of heart disease that occurs from birth (congenital heart disease), in which the
	pulmonary valve does not form properly.
Pyelonephritis	Inflammation of the kidney due to a bacterial
	infection.
Rh Factor	An inherited protein found on the surface of red
	blood cells. If blood has protein, it is positive. If
	blood lacks protein, it is negative.
Rh Sensitization	A woman with a negative blood type (Rh
	negative) who has produced antibodies against her fetus with a positive blood type (Rh positive).
	The mother's body considered the fetal blood
	cells a foreign object and mounted an immune
	attack on it.
Rubella	A contagious viral infection preventable by
	vaccine and best known by its distinctive red
	rash.
Coizura Diserder	
Seizure Disorder	A disorder in which nerve cell activity in the brain is disturbed, causing seizures.
Selective Fetal Reduction	The practice of reducing the number of fetuses in
	a multifetal pregnancy.
Sensitive/Bleeding Gums	Swollen, red, tender gums that bleed when
	flossed or brushed. Also known as pregnancy
	gingivitis.
Single Ventricle	A type of heart defect that a child is born with. It
	occurs when one of the two pumping chambers
	in the heart, called ventricles, isn't large enough
	or strong enough to work correctly.
Substance Abuse Prevention Education	Information on the effects of substance use.
Syphilis	A highly contagious disease spread primarily by
	sexual activity, caused by the bacteria
	Treponema pallidum.
Syphilis Serology	Tests detect antibodies in the blood and
	sometimes in the cerebrospinal fluid (CSF)
Tetralogy of Fallot	A rare congenital heart defect which is classically
	understood to involve four anatomical
	abnormalities of the heart in which blood flow is
	obstructed out of the right ventricle and into
Thalassemia	lungs. A blood disorder involving less than normal
	amounts of an oxygen-carrying protein.
Tocolysis	Tocolytics are medications used to suppress
	premature labor. They are given when delivery
	would result in premature birth.
	nould result in premidtare birth.

Total Anomalous Pulmonary Venous Return	A rare congenital malformation in which all four pulmonary veins do not connect normally to the left atrium.
Toxoplasmosis	Results from infection with a common parasite found in cat feces and contaminated food.
Transposition of Great Arteries	(TGA) is a congenital heart condition that is present at birth in which the aorta and pulmonary are abnormally connected to the heart.
Trauma	A deeply distressing or disturbing experience or physical injury.
Truncus Arteriosus	A rare type of heart disease that occurs at birth (congenital heart disease), in which a single blood vessel (truncus arteriosus) comes out of the right and left ventricles, instead of the normal two vessels (pulmonary artery and aorta).
Tricuspid Atresia	A form of congenital heart disease whereby there is a complete absence of the tricuspid valve. Therefore, there is an absence of right atrioventricular connection. This leads to a hypoplastic (undersized) or absent right ventricle.
Ultrasound	A method of producing images of the inside of the body by using a machine that produces sound waves which are too high to be heard.
Uninsured/Self Pay	Includes charity pay, persons with no health insurance, and persons who pay cash for their healthcare.
Varicella Zoster	Virus (VZV) causes chickenpox and herpes zoster (shingles).
Vital Information Platform (VIP)	Web-enabled application <u>www.vip.nj.gov</u> used to register New Jersey vital events and related medical data.
West Nile Virus	West Nile fever is a mosquito-borne infection by the West Nile virus, and can cause neurological disease and death in people.

MCHC Contacts & Delivery Hospitals

Contact the <u>Regional Maternal and Child Health</u> <u>Consortia</u> and the <u>NJ Prevention Network</u> for behavioral health referral assistance:

Partnership for Maternal and Child Health of Northern NJ: Bergen, Essex, Hudson, Morris, Passaic, Sussex, Union, and Warren counties: 973-942-3630

<u>Central Jersey Family Health Consortium:</u> Hunterdon, Middlesex, Mercer, Somerset, and Union (Plainfield portion) counties: 732-937-5437 Monmouth and Ocean counties: 732-363-5400

Southern New Jersey Perinatal Cooperative: Atlantic, Burlington, Camden, Cape May, Cumberland, Gloucester, and Salem counties: 856-665-6000

Delivery Site Codes (By County):

<u>Atlantic County</u> 395 - AtlantiCare Regional Medical Center 700 - Shore Medical Center

Bergen County

180 - Englewood Hospital
270 - Hackensack Meridian Health - Hackensack University
Medical Center
530 - Hackensack Meridian Health - Pascack Valley
Medical Center
290 - Holy Name Medical Center
830 - The Valley Hospital

Burlington County 080 - Virtua Memorial

<u>Camden County</u> 508 - Virtua Our Lady of Lourdes 115 - The Cooper Health System 897 - Virtua Voorhees

Cape May County 077 - Cape Regional Medical Center

Cumberland County 485 - Inspira Vineland

Essex County

470 - Hackensack Meridian Health – Mountainside Medical Center
385 - RWJ Barnabas Health - Clara Maass Medical Center
055 - RWJ Barnabas Health - Newark Beth Israel Medical Center
640 - RWJ Barnabas Health - Saint Barnabas Medical Center
480 - University Hospital

Gloucester County

800 - Inspira Woodbury 887 - Jefferson Washington Township Hospital

Hudson County

- 100 CarePoint Health Christ Hospital
- 670 CarePoint Health Hoboken University Medical Center
- 502 Hackensack Meridian Health Palisades Medical
- Center

609 - Hudson Regional Hospital

433 - RWJ Barnabas Health - Jersey City Medical Center

Hunterdon County

305 - Hunterdon Medical Center

Mercer County

- 415 Capital Health Regional Medical Center
- 440 Capital Health Medical Center Hopewell

Middlesex County

333 - Hackensack Meridian Health - JFK Medical Center
555 - Hackensack Meridian Health - Raritan Bay Medical Center
570 - Penn Medicine Princeton Medical Center
445 - RWJ Barnabas Health - Robert Wood Johnson
University Hospital
685 - Saint Peter's University Hospital

Monmouth County

215 - CentraState Healthcare System
220 - Hackensack Meridian Health - Jersey Shore
University Medical Center
610 - Hackensack Meridian Health - Riverview Medical
Center
455 - RWJ Barnabas Health - Monmouth Medical Center

Morris County

097 - Chilton Medical Center 465 - Morristown Medical Center BC998 - Our Birthing Center 643 - Saint Clare's Denville Hospital

Ocean County

070 - Hackensack Meridian Health – Ocean Medical Center 626 - Hackensack Meridian Health – Southern Ocean Medical Center 122 - RWJ Barnabas Health - Community Medical Center

Passaic County

660 - St. Joseph's University Medical Center 675 - St. Mary's General Hospital

Pennsylvania

PA100 - All Pennsylvania Hospitals

Salem County 177 - Inspira Elmer

Somerset County

705 - Somerset Medical Center

Sussex County 490 - Newton Medical Center

Union County

510 - Overlook Medical Center BC999 - The Birth Center of New Jersey 645 - Trinitas Regional Medical Center

Notes

PRA MMCO Contacts

AETNA BETTER HEALTH	855-232-3596
AMERIGROUP	800-454-3730
HORIZON NJ HEALTH	800-682-9094
UNITEDHEALTHCARE	800-599-5985
WELLCARE	866-530-9491

For further assistance please contact FHI 856-665-6000 or <u>pra@fhiworks.org</u>



Family Health Initiatives 2500 McClellan Avenue, Suite 270 Pennsauken, NJ 08109-4613

856-665-6000 PRA@fhiworks.org www.fhiworks.org